

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** permanent marker black ink

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Pens

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Wenzhou Aihao Pen Trade Co., Ltd

**Supplier Address** No.128, Wenchang Road, Longwan Zone  
Wenzhou  
Zhejiang  
325011  
CN

**Supplier Phone Number** Phone:86-13524536325  
Contact Phone86-021-68622126

**Supplier Email** 732314056@qq.com

### Emergency telephone number

## 2. HAZARDS IDENTIFICATION


### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3



**GHS Label elements, including precautionary statements****Emergency Overview**

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard Statements</b> Causes skin irritation Causes serious eye damage Suspected of causing genetic defects May cause drowsiness or dizziness		
		
<b>Appearance</b> Black	<b>Physical state</b> Solid containing liquid	<b>Odor</b> Alcohol

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

IF EXPOSED OR CONCERNED: Get medical advice/attention  
Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician

**Skin**

IF ON SKIN: Wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Precautionary Statements - Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

10.6% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

May be harmful if swallowed  
Toxic to aquatic life with long lasting effects

**Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin contact**

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

**Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

**Self-protection of the first aider**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed****Most Important Symptoms and Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.



## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific hazards arising from the chemical**

No information available.

#### **Uniform Fire Code**

Irritant: Solid

### **Hazardous Combustion Products**

Carbon oxides.

### **Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8.

### **Environmental precautions**

#### **Environmental precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

**Incompatible Products** Strong acids. Strong oxidizing agents. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m <sup>3</sup>	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 625 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** None required for consumer use. If there is a risk of contact: Tight sealing safety goggles.

**Skin and body protection** None required for consumer use. Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical state</b>	Solid containing liquid	<b>Odor</b>	Alcohol
<b>Appearance</b>	Black	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

### Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg ( Rat )	= 13 g/kg ( Rabbit )	= 54.6 mg/L ( Rat ) 4 h > 24 mg/L ( Rat ) 1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg ( Rat )	-	> 13548 ppm ( Rat ) 4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg ( Rat )	-	-

### Information on toxicological effects

#### Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

- Sensitization** No information available.
- Mutagenic Effects** There is no data available for this product. Contains a known or suspected mutagen.
- Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

*IARC (International Agency for Research on Cancer)  
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

- Reproductive toxicity** No information available.
- STOT - single exposure** No information available.
- STOT - repeated exposure** No information available.
- Chronic Toxicity** Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic potential is unknown.
- Target Organ Effects** Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).
- Aspiration Hazard** No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

- ATEmix (oral)**  
2,458.00 mg/kg
- ATEmix (dermal)**  
23,718.00 mg/kg (ATE)
- ATEmix (inhalation-dust/mist)**  
99.60 mg/l





## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

### Persistence and Degradability

No information available.

### Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1196598)	-0.437
Third Party Formulation (TP # 1196598)	0.34
Third Party Formulation (TP # 1196598)	2

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### **Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

#### **California Hazardous Waste Codes 331**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1196598)	Toxic Ignitable



## 14. TRANSPORT INFORMATION

<b>DOT</b>	NOT REGULATED
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>IATA</b>	Not regulated
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A
<b>IMDG/IMO</b>	Not regulated
<b>Hazard Class</b>	N/A
<b>Marine Pollutant</b>	Product is a marine pollutant according to the criteria set by IMDG/IMO
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	X	X	X		
Third Party Formulation (TP # 1196598)	X	X	X		

**International Regulations****Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598) ( 15 - 40 )		Mexico: TWA 200 ppm Mexico: TWA 500 mg/m <sup>3</sup> Mexico: STEL 250 ppm Mexico: STEL 625 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

**Canada****WHMIS Hazard Class**

Not determined

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards - Personal Protection</b> X
<b>HMIS</b>	<b>Health Hazards</b> 3 *	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

<b>Prepared By</b>	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
<b>Revision Date</b>	13-May-2015
<b>Revision Note</b>	No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**



**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** | **CALCIUM CHLORIDE, DIHYDRATE****Synonyms** | Calcium Chloride, Hydrated**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** None known**GHS Classification:**

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Calcium chloride, dihydrate	10035-04-8	100%	233-140-8 (anhydrous)
<b>Contains:</b>			
Calcium chloride, anhydrous	10043-52-4	77-80%	233-140-8
Water	7732-18-5	15-20%	231-791-2
Potassium chloride	7447-40-7	2-3%	231-211-8
Sodium chloride	7647-14-5	1-2%	231-598-3

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Heat is generated when product mixes with water.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Hygroscopic material. Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	None established	TWA: 15 mg/m <sup>3</sup> total dust	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White flakes. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 772°C (1422°F) <b>Boiling point:</b> Data not available <b>Flash point:</b> Not applicable	<b>Evaporation rate ( = 1):</b> Not applicable <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not applicable <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> Data not available <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> Not applicable <b>Auto-ignition temperature:</b> Not applicable <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> CaCl <sub>2</sub> ·2H <sub>2</sub> O <b>Molecular weight:</b> 147.02
---	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Avoid moisture.

**Incompatible materials:** Heat is generated when mixed with water. Spattering and boiling can occur. Avoid contact with sulfuric acid. Corrosive when wet. Flammable hydrogen may be generated from contact with metals such as zinc and sodium.

**Hazardous decomposition products:** None known.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 2100 mg/kg ; Dermal-rabbit LD50: >5000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Dust may cause irritation to the upper respiratory tract (nose and throat).

Ingestion: Low toxicity if swallowed. However, large amounts may result in gastrointestinal irritation or ulceration.

Skin: Contact with skin may cause irritation and/or defatting on prolonged contact.

Eyes: Contact with eyes may cause severe irritation and/or corneal injury.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: EV9810000

## Section 12 Ecological Information

**Toxicity to fish:** Lepomis macrochirus (bluegill) LC50: 8,350-10,650 mg/L

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (water flea), LC50: 759-3,005 mg/L

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COBALT(II) CHLORIDE, HEXAHYDRATE</b>
<b>Synonyms</b>	Cobaltous Chloride, Hexahydrate / Cobalt Dichloride, Hexahydrate

## Section 2 Hazards Identification

**Signal word:** DANGER  
**Pictograms:** GHS05 / GHS07 / GHS08 / GHS09  
**Target organs:** Eyes, Skin, Respiratory system, Gastrointestinal tract, Liver, Kidneys, Blood, Heart, Reproductive system

**GHS Classification:**

Acute toxicity, oral (Category 4)  
Skin corrosion (Category 1A)  
Serious eye damage (Category 1)  
Skin sensitisation (Category 1)  
Respiratory sensitization (Category 1)  
Mutagenicity (Category 2)  
Carcinogenicity (Category 1B)  
Reproductive toxicity (Category 1B)  
Aquatic acute (Category 1)  
Aquatic chronic (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H317: May cause an allergic skin reaction.  
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H341: Suspected of causing genetic defects.  
H350: May cause cancer.  
H360: May damage fertility or the unborn child.  
H410: Very toxic to aquatic life with long lasting effects.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement:**

P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P272: Contaminated work clothing should not be allowed out of the workplace.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P284: Wear respiratory protection.  
P301+P330+ P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P313: IF exposed or concerned: Get medical attention.  
P363: Wash contaminated clothing before reuse.  
P391: Collect spillage.  
P405: Store locked up.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Cobalt chloride, hexahydrate	7791-13-1	100%	231-589-4

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Cobalt and inorganic compounds, as Co	TWA: 0.02 mg/m <sup>3</sup> (A3)	TWA: 0.1 mg/m <sup>3</sup> for metal dust & fume	TWA: 0.05 mg/m <sup>3</sup> for metal dust & fume

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. Damp, red crystals. <b>Odor:</b> Hydrochloric acid odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Data not available <b>Boiling point:</b> Data not available <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 1.92 <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> 400°C <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> CoCl <sub>2</sub> ·6H <sub>2</sub> O <b>Molecular weight:</b> 237.93
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Excessive temperatures, moisture. Material is hygroscopic.  
**Incompatible materials:** Strong oxidizers. Corrosive to aluminum when wet.  
**Hazardous decomposition products:** Sublimes at 500°C into HCl gas. Thermal decomposition may produce chlorine.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 766 mg/kg ; Dermal-rat LD50: >2,000 mg/kg  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenity:** Data not available  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 IARC classified: Group 2B: Possibly carcinogenic to humans.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: Prolonged or repeated inhalation may cause respiratory sensitization. May cause lung damage.  
 Ingestion: May cause vomiting, diarrhea and a sensation of hotness.  
 Skin: Prolonged or repeated exposure causes irritation and may result in an allergic skin reaction.  
 Eyes: Causes irritation and/or burns.  
**Signs and symptoms of exposure:** Exercise appropriate procedures to minimize potential hazards.  
**Additional information:** RTECS #: GG0200000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Cyprinus carpio (Carp) - 0.33 mg/l - 96.0 h  
**Toxicity to daphnia and other aquatic invertebrates:** EC50 - Daphnia magna (Water flea) - 1.1 - 1.6 mg/l - 48 h  
**Toxicity to algae:** EC50 - Chlorella vulgaris (Fresh water algae) - 0.5 mg/l - 96 h  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN3260  
**Shipping name:** Corrosive solid, acidic, inorganic, n.o.s., (Cobalt chloride)  
**Hazard class:** 8  
**Packing group:** II  
**Reportable Quantity:** No  
**Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 Kg  
**2016 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cobalt chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Identification**

Page E1 of E2



665 Carbon Street  
Billings, MT 59102  
406-256-0990  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>FD&amp;C BLUE #1</b>
<b>Synonyms</b>	Vegetable Dye / Food Coloring - Blue 0.5%

**Section 2 Hazards identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:** None required  
**GHS Label information: Hazard statement:** None required  
**Precautionary statement:** None required

**Supplemental information:**

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / information on ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.5%	231-791-2
FD&C Blue #1 (C.I. No. 42090)	3844-45-9	0.5%	223-339-8

**Section 4 First aid measures**

**INGESTION:** MAY BE HARMFUL BY INGESTION. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire fighting measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental release measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	FD&C Blue #3	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Liquid, clear, light blue.	<b>Evaporation rate ( Water = 1):</b> <1	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Data not available	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 14 (water)	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water)	<b>Vapor density (Air = 1):</b> 0.7 (water)	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> Approximately 100°C (212°F) (water)	<b>Relative density (Specific gravity):</b> Approximately 1.0 (water)	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> Data not available	<b>Solubility(ies):</b> Complete in water.	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation.

**Incompatible materials:** Strong oxidizers, reducing agents.

**Hazardous decomposition products:** Oxides of carbon, nitrogen oxides, sulfur oxides.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: >2,000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Not expected to be a health hazard.

Ingestion: May be harmful by ingestion.

Skin: Contact may cause irritation.

Eyes: Contact may cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** Data not available

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable **2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
FD&C Blue #1 (C.I. No. 42090)	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>POTASSIUM CHLORIDE</b>
<b>Synonyms</b>	Muriate of Potash / Potassium Muriate / Potassium Monochloride

**Section 2 Hazards Identification**

**Signal word:** WARNING  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:**  
Acute toxicity, oral (Category 5)

**GHS Label information: Hazard statement:**  
H303: May be harmful if swallowed.

**Precautionary statement:**  
P312: Call a POISON CENTER or doctor if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Potassium chloride	7447-40-7	95.0 - 99.5%	231-211-8
Sodium chloride	7647-14-5	0.3 - 3.7%	231-598-3
Calcium and Magnesium chlorides and sulfates	Various	0.2 - 1.3%	Various

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	Not established	TWA: 15 mg/m <sup>3</sup> total dust	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White crystals or powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 5.4-10.0 (5% solution) <b>Melting / Freezing point:</b> 772-776°C (1423-1428°F) <b>Boiling point:</b> 1500°C (2732°F) Sublimes <b>Flash point:</b> Not applicable	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not applicable <b>Vapor pressure (mm Hg):</b> Approximately zero <b>Vapor density (Air = 1):</b> 2.57 <b>Relative density (Specific gravity):</b> 1.986-1.990 <b>Solubility(ies):</b> 34.2 g/100 ml water @ 20°C	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available <b>Viscosity:</b> Data not available <b>Molecular formula:</b> KCl <b>Molecular weight:</b> 74.56
---	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat. Hygroscopic material.

**Incompatible materials:** Avoid contact with hot Nitric acid, may cause evolution of toxic Nitrosyl chloride. Contact with other strong acids may produce irritating Hydrogen chloride gas. May react violently with Bromine trifluoride and may explode if mixed with Potassium permanganate and Sulfuric acid. Can react with most metals, such as Iron or Steel, building materials (such as cement), Bromine or Trifluoride. Potentially explosive reaction may occur if mixed with Dichloromaleic anhydride and Urea.

**Hazardous decomposition products:** None known. See above reactions.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 2,600 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Eyes-rabbit - 500 mg/24 hours - mild irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause respiratory irritation, coughing and shortness of breath.

Ingestion: May cause nausea, vomiting, diarrhea, abdominal cramping, irregular heartbeats, dehydration, and hypertension.

Skin: Contact may cause mild irritation, redness.

Eyes: Contact with eyes causes mild irritation including stinging, watering and redness.

**Signs and symptoms of exposure:** Conditions aggravated by exposure may include kidney disorders and high blood pressure (hypertension). Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: TS8050000

## Section 12 Ecological Information

**Toxicity to fish:** Gambusia affinis (fish, fresh water), LC50 = 10,000 mg/L/24 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC100 = 1,010 mg/L/24 hours

**Toxicity to algae:** Scenedesmus subspicatus (Algae), EC50 = 2,500 mg/L/72 hours

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Potassium chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	POTASSIUM IODIDE
----------------	------------------

<b>Synonyms</b>	None
-----------------	------

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Thyroid**GHS Classification:**

Acute toxicity, oral (Category 5)

Skin sensitization (Category 1A)

**GHS Label information: Hazard statement:**

H303: May be harmful if swallowed.

H317: May cause an allergic skin reaction.

**Precautionary statement:**

P261: Avoid breathing dust.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P333+P313: If skin irritation or rash occurs: Get medical attention.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Potassium iodide	7681-11-0	100%	231-659-4

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with strong oxidizers may cause fire or explosion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dust. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	None established	TWA: 15 ppm total dust	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid, white crystals.  
**Odor:** No odor.  
**Odor threshold:** Data not available.  
**pH:** 7.0  
**Melting / Freezing point:** 680°C (1256°F)  
**Boiling point:** 1330°C (2426°F)  
**Flash point:** Non-combustible

**Evaporation rate ( = 1):** Not applicable  
**Flammability (solid/gas):** Data not available.  
**Explosion limits: Lower / Upper:** Data not available  
**Vapor pressure (mm Hg):** Negligible  
**Vapor density (Air = 1):** Data not available  
**Relative density (Specific gravity):** 3.12  
**Solubility(ies):** Complete in water.

**Partition coefficient:** Data not available  
**Auto-ignition temperature:** Data not available  
**Decomposition temperature:** Data not available.  
**Viscosity:** Data not available.  
**Molecular formula:** KI  
**Molecular weight:** 166.01

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Protect from light, air, moisture and excessive temperatures.

**Incompatible materials:** Reacts violently with alkaline metals, diazonium salts, oxidants, bromine and chlorine trifluorides, and fluorine perchlorate, and may cause explosion and/or fire. NOTE: Solutions of this product are corrosive to most metals.

**Hazardous decomposition products:** Yields iodine when in contact with air. Releases iodine, potassium monoxide, and hydrogen iodide, when in contact with moist air.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 4800 mg/kg  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation of respiratory tract.

Ingestion: Large doses may cause gastrointestinal upset and weakness.

Skin: May cause mild irritation and redness on prolonged contact.

Eyes: Can be irritating with redness and pain.

**Signs and symptoms of exposure:** Hypothyroidism with possibility of goitre (hypertrophy of the thyroid gland), possible sensitization of skin. Chronic ingestion of iodides may produce "iodism" which may be characterized by skin rash, running nose, headache, and irritation of mucous membranes. Weakness, anemia, loss of weight, and general depression may also occur. **Additional information:** RTECS #: NN1575000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Potassium iodide	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** LITHIUM CHLORIDE**Synonyms** None**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Kidneys, Central nervous system, Reproductive system, Skin, Eyes**GHS Classification:**

Acute toxicity, oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Lithium chloride	7447-41-8	>99%	231-212-3

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Readily absorbs moisture, keep dry.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Lithium chloride	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White powder <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 7-8 (50 g/L) <b>Melting / Freezing point:</b> 614°C (1137°F) <b>Boiling point:</b> 1382°C (2520°F) <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.068 <b>Solubility(ies):</b> 832 g/L @ 20°C in water.	<b>Partition coefficient:</b> (n-octanol / water): Low Kow: 2.66 <b>Auto-ignition temperature:</b> Data not available. <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> LiCl <b>Molecular weight:</b> 42.39
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Readily absorbs moisture, keep dry. This solution in water is corrosive to metals.

**Incompatible materials:** Strong oxidizers, strong acids, and bromine trifluoride.

**Hazardous decomposition products:** Hydrogen chloride and lithium compounds.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 526-840 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of this material is irritating to the eyes, nose and throat.

Ingestion: Ingestion may cause a rash, ringing in the ears, nausea, vomiting, diarrhea, difficulty speaking, drowsiness, twitching, visual disturbances and coma. Chronic ingestion can also cause kidney damage, irregular heartbeat, low blood pressure, loss of appetite, thirst and circulatory failure.

Skin: Contact causes severe irritation, redness and swelling.

Eyes: Contact causes severe irritation, redness and swelling.

**Signs and symptoms of exposure:** This substance may have effects on the central nervous system, cardiovascular system, kidneys and thyroid. This may result in impaired functions. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: OJ5950000

## Section 12 Ecological Information

**Toxicity to fish:** *Oncorhynchus mykiss* (fish, fresh water), LC50 = 0.17 mg/L/6.5-11 hours

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Lithium chloride	Listed	Not listed	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** SODIUM CHLORIDE**Synonyms** Common Salt / Rock Salt**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement(s):** Not classified  
**Precautionary statement(s):** Not classified

**Supplementary information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Sodium chloride	7647-14-5	100%	231-598-3

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium chloride	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid, white crystals.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** 4.0-9.0

**Melting / Freezing point:** 801°C (>1473°F)

**Boiling point:** 1465°C (2669°F)

**Flash point:** Non combustible

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 2.4

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 2.16 @ 25°C

**Solubility(ies):** 1 g/2.8 ml water at 25°C

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available

**Viscosity:** Data not available.

**Molecular formula:** NaCl

**Molecular weight:** 58.45

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Wet conditions can cause caking and/or corrosion.

**Incompatible materials:** Strong acids.

**Hazardous decomposition products:** Electrolysis can produce chlorine gas.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 3000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust leaves salty taste with mild irritation to mucous membrane in nose and throat.

Ingestion: Ingestion of large amounts (more than 0.1 pound) may cause vomiting.

Skin: Contact may cause very slight irritation.

Eyes: Contact may cause very slight irritation.

**Signs and symptoms of exposure:** Gross overexposure over a long period of time, results in dehydration.

**Additional information:** RTECS #: VZ4725000

## Section 12 Ecological Information

**Toxicity to fish:** Lepomis macrochirus (fish, freshwater) LC50: 9,675 mg/l/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea) EC50: 6,175 mg/l/16 hours

**Toxicity to algae:** Anabaena variabilis (Algae) LC50: 23,565 mg/l/4 day

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2016 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Identification**

Page E1 of E2



665 Carbon Street  
Billings, MT 59102  
406-256-0990  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SUCROSE</b>
<b>Synonyms</b>	Cane Sugar / Beet Sugar

**Section 2 Hazards identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required

**Pictograms:** No symbol required

**Target organs:** None known

**GHS Classification:** None required

**GHS Label information: Hazard statement:** None required

**Precautionary statement:** None required

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust

Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / information on ingredients**

Chemical Name	CAS #	%	EINECS
Sucrose	57-50-1	100%	200-334-9

**Section 4 First aid measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire fighting measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust dispersed in air is capable of creating a dust explosion when exposed to an ignition source. Avoid dispersion of dust in air.

**Section 6 Accidental release measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
Phone Number (800) 424-9300  
1 703-741-5500 (from anywhere in the world).  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SILVER NITRATE</b>
----------------	-----------------------

<b>Synonyms</b>	Silver(I) Nitrate
-----------------	-------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS03 / GHS05 / GHS09**Target organs:** Kidneys, Liver, Eyes, Skin**GHS Classification:**

Ox. Sol. (Category 2)

Skin Corr. (Category 1B)

Aquatic Acute (Category 1)

Aquatic Chronic (Category 1)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.

H314: Causes severe skin burns and eye damage.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement(s):**

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P220: Store away from clothing and combustible materials.

P221: Take any precaution to avoid mixing with combustibles.

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P310: Immediately call a POISON CENTER or doctor.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use water to extinguish.

P391: Collect spillage.

P405: Store locked up.

H501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Silver nitrate	7761-88-8	100%	231-853-9

## Section 4 First Aid Measures

**INGESTION:** MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CONTACT CAUSES CORNEAL DAMAGE OR BLINDNESS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CONTACT CAN CAUSE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is a strong oxidizer which releases oxygen on heating. The oxygen will intensify any fire in the immediate surroundings.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>BARIUM CHLORIDE, DIHYDRATE</b>
----------------	-----------------------------------

<b>Synonyms</b>	Barium Dichloride
-----------------	-------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS06**Target organs:** Cardiovascular and Central nervous systems, Kidneys**GHS Classification:**

Acute toxicity, oral (Category 3)

Acute toxicity, inhalation (Category 4)

**GHS Label information: Hazard statement:**

H301: Toxic if swallowed.

H332: Harmful if inhaled.

**Precautionary statement:**

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P330: Rinse mouth.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Barium chloride, dihydrate	10326-27-9	100%	233-788-1 (anhydrous)

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Readily absorbs moisture. Keep dry.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Barium and soluble compounds, as Ba	TWA: 0.5 mg/m <sup>3</sup> (A4)	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White, crystalline powder	<b>Evaporation rate ( = 1):</b> Data not available	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Data not available	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> Negligible	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 925°C (1696°F)	<b>Vapor density (Air = 1):</b> 7.21	<b>Molecular formula:</b> BaCl <sub>2</sub> ·H <sub>2</sub> O
<b>Boiling point:</b> 1560°C (2840°F)	<b>Relative density (Specific gravity):</b> 3.1 @ 24°C	<b>Molecular weight:</b> 244.28
<b>Flash point:</b> Not flammable	<b>Solubility(ies):</b> 31 g/100 mL H <sub>2</sub> O @ 32°F	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat.

**Incompatible materials:** Bromine trifluoride and 2-furan percarboxylic acid, violent reaction.

**Hazardous decomposition products:** Chlorine gas, hydrochloric acid and barium oxide, barium dust.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 118 mg/kg

**Skin corrosion/irritation:** Skin-rabbit: Irritant

**Serious eye damage/irritation:** Eyes-rabbit: Irritant

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation cause irritation of the respiratory tract, sore throat, coughing and labored breathing.

Ingestion: Ingestion may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea.

Skin: Contact with skin may cause redness and pain.

Eyes: Contact with eyes may cause redness, pain and blurred vision.

**Signs and symptoms of exposure:** May cause tremors, faintness, paralysis of arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death on respiratory failure. Ingestion of 0.8 grams may be fatal. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: CQ8751000

## Section 12 Ecological Information

**Toxicity to fish:** Leuciscus idus (fish, fresh water), LC50 = 870 mg/L

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 21.9 mg/L/48 hours

**Toxicity to algae:** Chlorella vulgaris (Algae), NOEC = 3.5 mg/L/4 months

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1564

**Shipping name:** Barium compounds, n.o.s., (Barium chloride)

**Hazard class:** 6.1

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2016 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Barium chloride	Listed	Not listed	D005	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	HYDROCHLORIC ACID, 32-36%
----------------	---------------------------

<b>Synonyms</b>	Muriatic Acid ; Hydrogen Chloride
-----------------	-----------------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05 / GHS07**Target organs:** Respiratory system, skin, eyes, lungs.**GHS Classification:**

Serious eye damage (Category 1)

Skin corr. (Category 1B)

STOT SE (Category 3)

**GHS Label information: Hazard statement(s):**

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

**Precautionary statement(s):**

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P403/233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	64-68%	231-791-2
Hydrochloric acid	7647-01-0	32-36%	231-595-7

## Section 4 First Aid Measures

**INGESTION:** Harmful if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Causes eye burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Causes skin burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.





## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SODIUM HYDROXIDE, ANHYDROUS</b>
----------------	------------------------------------

<b>Synonyms</b>	Caustic Soda
-----------------	--------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin, Corr. (Category 1A)

Serious Eye Damage/Eye Irritation (Category 1)

**GHS Label information: Hazard statement:**

H314: Causes severe skin burns and eye damage.

**Precautionary statement:**

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium hydroxide	1310-73-2	96-100%	215-185-5

## Section 4 First Aid Measures

**INGESTION:** MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Flood with water, taking care not to splash or scatter. Avoid carbon dioxide as it reacts exothermically with this material.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** Contact with metals can generate hydrogen gas. Contact with water produces intense heat and highly irritating and corrosive mist. Hot or molten material will react violently with water liberating heat and causing splashing. Contact with water may generate sufficient heat to ignite combustible materials.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: C 2 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid white beads or pellets. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 13.0 - 14.0 <b>Melting / Freezing point:</b> 318°C (604°F) <b>Boiling point:</b> 1390°C (2534°F) <b>Flash point:</b> Not applicable.	<b>Evaporation rate ( = 1):</b> Not applicable. <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not applicable. <b>Vapor pressure (mm Hg):</b> 1 mm Hg @ 739°C <b>Vapor density (Air = 1):</b> Not applicable. <b>Relative density (Specific gravity):</b> 2.13 @ 25°C (77°F) <b>Solubility(ies):</b> 29.6 @ 0°C (32°F) in water	<b>Partition coefficient:</b> (n-octanol / water): Data not available. <b>Auto-ignition temperature:</b> Not applicable. <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Not applicable. <b>Molecular formula:</b> NaOH <b>Molecular weight:</b> 40.00
---	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Deliquescent material. Absorbs moisture from air. Can react with carbon dioxide to form sodium carbonate.  
**Incompatible materials:** Metals, acids, organic compounds, organic nitro compounds.  
**Hazardous decomposition products:** Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available  
**Skin corrosion/irritation:** Skin - rabbit - Causes severe burns. - 24 h  
**Serious eye damage/irritation:** Eyes - rabbit - Severe eye irritation - 24 h  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
Ingestion: May be harmful if swallowed.  
Skin: May be harmful if absorbed through skin. Causes skin burns.  
Eyes: Causes eye burns. Causes severe eye burns.  
**Signs and symptoms of exposure:** Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.  
**Additional information:** RTECS #: WB4900000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h  
**Toxicity to daphnia and other aquatic invertebrates:** Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1823  
**Shipping name:** Sodium hydroxide, solid  
**Hazard class:** 8  
**Packing group:** II  
**Reportable Quantity:** 1,000 lbs (454 kg)  
**Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 Kg  
**2016 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COPPER(II) CHLORIDE, DIHYDRATE</b>
----------------	---------------------------------------

<b>Synonyms</b>	Cupric Chloride, Dihydrate
-----------------	----------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS06 / GHS07 / GHS09**Target organs:** Respiratory system, Liver, Kidneys.**GHS Classification:**

Acute toxicity-oral (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H301: Toxic if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P310: IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash before reuse.

P391: Collect spillage.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Cupric chloride, dihydrate	10125-13-0	>98%	231-210-2 (anhydrous)

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Blue-green, crystalline solid	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> Data not available
<b>pH:</b> Data not available	<b>Vapor pressure (mm Hg):</b> Data not available	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 100°C (230°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuCl <sub>2</sub> ·2H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.54	<b>Molecular weight:</b> 170.48
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> Soluble in water	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Avoid exposure or contact to extreme temperatures and incompatible materials.

**Incompatible materials:** Potassium, sodium, hydrazine, nitromethane, aluminum, strong oxidizers, acetylene and sodium hypobromite.

**Hazardous decomposition products:** Copper oxides and hydrogen chloride.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 290 mg/kg ; Oral-human LD50: 200 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Symptoms of over-exposure may include irritation, sore throat, shortness of breath, ulceration and perforation of the nasal septum and upper respiratory tract irritation.

Ingestion: May cause gastrointestinal irritation with symptoms such as nausea, vomiting and diarrhea.

Skin: Contact with skin may cause symptoms of itching, redness, blistering and possible scarring, dermatitis.

Eyes: Contact with eyes may cause redness, pain and blurred vision. Prolonged contact may cause corneal injury.

**Signs and symptoms of exposure:** Copper salts impart a metallic taste in the mouth. Damage to the kidneys may occur in person's with Wilson's disease. High concentrations in contact with skin may result in burns. Chronic exposure may also lead to liver damage, anemia and other blood cell abnormalities.

**Additional information:** RTECS #: GL7030000

## Section 12 Ecological Information

**Toxicity to fish:** Bluegill LC50: 0.9 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna EC50: 0.04 mg/L/48 hours

**Toxicity to algae:** Selenastrum EC50: 0.12 mg/L/96 hours

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN2802

**Shipping name:** Copper chloride

**Hazard class:** 8

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2016 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric chloride (anhydrous)	Listed	10 lbs (4.54 kg)	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	ETHYL ALCOHOL, DENATURED, 95%
----------------	-------------------------------

<b>Synonyms</b>	Ethanol, Denatured, 95%
-----------------	-------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS06 / GHS07 / GHS08**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)  
Acute toxicity, oral (Category 3)  
Acute toxicity, dermal (Category 3)  
Acute toxicity, inhalation (Category 3)  
Eye irritation (Category 2B)  
STOT-SE (Category 2)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.  
H301: Toxic if swallowed.  
H311: Toxic in contact with skin.  
H319: Causes serious eye irritation.  
H331: Toxic if inhaled.  
H336: May cause drowsiness or dizziness.  
H371: May cause damage to organs.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233+P235: Keep container tightly closed. Keep cool.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P242: Use only non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P260: Do not breathe mist/vapours/spray.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.  
P337+P313: If eye irritation persists: Get medical attention.  
P361+P364: Take off immediately all contaminated clothing and wash it before reuse.  
P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.  
P403+P405: Store in a well-ventilated place. Store locked up.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	80.75 - 81.51%	200-578-6
Isopropyl alcohol	67-63-0	8.55%	200-661-7
Water	7732-18-5	5.00%	231-791-2
Methanol	67-56-1	3.80 - 4.08%	200-659-6
Methyl isobutyl ketone	108-10-1	0.85 - 0.95%	203-550-1

## Section 4 First Aid Measures

**INGESTION:** TOXIC IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** TOXIC IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** TOXIC IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> Mild characteristic odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> -114°C (-173°F)* <b>Boiling point:</b> 74-80°C (165.2-176°F)* <b>Flash point:</b> 5°C (41°F)*	<b>Evaporation rate ( Butyl acetate = 1):</b> Ca 2* <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)* <b>Vapor pressure (mm Hg):</b> Ca 50 @ 20°C* <b>Vapor density (Air = 1):</b> Ca 1.5* <b>Relative density (Specific gravity):</b> 0.7919-0.7955°C @ 60/60°F* <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient: (n-octanol / water):</b> Low Pow: -.32* <b>Auto-ignition temperature:</b> 400°C (752°F)* <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture *[ Ethanol]
---	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ **WARNING!** : This product can expose you to chemicals including Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information: RTECS #:** KQ6300000 [Ethanol]

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1170 **Shipping name:** Ethanol

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 127

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/15/2014

Revision date: 12/15/2014

Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
 CAS No : 7439-95-4  
 Formula : Mg  
 Synonyms : Magnesium / magnesium, borings / magnesium, metal / magnesium, ribbons / magnesium, scalplings / magnesium, sheet / magnesium, turnings  
 BIG no : 10761

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

GSC International, Inc.  
 1747 N. Deffer Drive  
 Nixa,  
 MO 65714  
 United States of America

Tel: 417-374-7431  
 Fax: 417-374-7442  
 Email: info@gscinternationalinc.com

#### 1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency number
MEXICO	Servicio de Informacion Toxicologica Sintox	Tintoreto #32 Edif. a Desp. Col. Nochebuena Mixcoac México, D.F.	1 800 009 2800 +52 55 5611 2634 /+52 55 5598 9095
UNITED STATES OF AMERICA	American Association of Poison Control Centers		1-800-222-1222

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Flam. Sol. 1 H228  
 Self-heat. 1 H251  
 Water-react. 2 H261

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS02

Signal word (GHS-US) : Danger  
 Hazard statements (GHS-US) : H228 - Flammable solid  
 H251 - Self-heating: may catch fire  
 H261 - In contact with water releases flammable gases  
 Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking  
 P223 - Do not allow contact with water  
 P231+P232 - Handle under inert gas. Protect from moisture  
 P235+P410 - Keep cool. Protect from sunlight  
 P280 - Wear eye protection, face protection, protective clothing, protective gloves  
 P335+P334 - Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages



# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use dry extinguishing powder, dry sand to extinguish  
P402+P404 - Store in a dry place. Store in a closed container  
P420 - Store away from other materials  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name	Product identifier	%	Classification (GHS-US)
Magnesium (Main constituent)	(CAS No) 7439-95-4	> 99,9	Flam. Sol. 1, H228 Self-heat. 1, H251 Water-react. 2, H261

Full text of H-phrases: see section 16

### 3.2. Mixture

Not applicable

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse with water. Do not apply (chemical) neutralizing agents. Consult an ophthalmologist if irritation persists. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth out with water. Consult a doctor/medical service if you feel unwell. Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: AFTER INHALATION OF FUME: Metal fume fever.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Gastrointestinal complaints. Inflammation/damage of the eye tissue. Possible inflammation of the respiratory tract. Coughing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry sand. Dry powder.
Unsuitable extinguishing media	: Water. Water spray. Foam. Carbon dioxide. Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. May readily catch fire. Combustibility increases as material becomes thinner. In finely divided state: increased fire hazard. Spontaneously flammable in air. INDIRECT FIRE HAZARD. Heating increases the fire hazard. Reactions involving a fire hazard: see "Reactivity Hazard". Flammable solid. Self-heating: may catch fire.
Explosion hazard	: DIRECT EXPLOSION HAZARD. Fine dust is explosive with air. INDIRECT EXPLOSION HAZARD. Dust cloud can be ignited by a spark. Reactions with explosion hazards: see "Reactivity Hazard". May form flammable/explosive vapor-air mixture.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity : Reacts slowly with water (moisture): release of highly flammable gases/vapours (hydrogen). This reaction is accelerated on exposure to (strong) acids. Burning substance reacts explosively with water. Reacts violently with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: release of highly flammable gases/vapours (hydrogen). Flammable solid. Self-heating: may catch fire.

### 5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to heat: have neighborhood close doors and windows.

Firefighting instructions : When cooling/extinguishing: no water in the substance. If no hazard for/from the surroundings: controlled burning. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective clothing. See "Material-Handling" to select protective clothing.

Emergency procedures : Mark the danger area. No naked flames. Keep containers closed. Avoid ingress of water in the containers. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent spreading in sewers. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain leaking substance, pump over in suitable containers. Consult "Material-handling" to select material of containers. Provide equipment/receptacles with earthing. Contact with water: measure explosive gas-air mixture concentration. Hazardous reaction: measure explosive gas-air mixture. Reaction: dilute combustible gas/vapor with water curtain.

Methods for cleaning up : Recover mechanically the product. Collect the spill only if it is in a dry state in closing drums. Consult "Material-handling" to select material of containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from any possible contact with water, because of violent reaction and possible flash fire.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Precautions for safe handling : Ensure good ventilation of the work station. Meet the legal requirements. Wash contaminated clothing before reuse. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Use earthed equipment. Keep away from naked flames/heat. Avoid contact of substance with water. Finely divided: spark- and explosion proof appliances. Finely divided: keep away from ignition sources/sparks. Observe normal hygiene standards. Keep container tight closed. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Handle under inert gas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Wear personal protective equipment. Protect from moisture. Keep away from any possible contact with water, because of violent reaction and possible flash fire.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Maintain air gap between stacks/pallets. Use explosion-proof Flame proof, lighting, electrical equipment and ventilation equipment.
- Storage conditions : Keep container closed when not in use. Heat sources. Direct sunlight. Keep in fireproof place. Store in a dry place. Protect from moisture. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat-ignition. Keep cool. Protect from sunlight. Keep away from ignition sources. Store away from other materials. Store in a closed container. Store in a well-ventilated place.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Keep away from any possible contact with water, because of violent reaction and possible flash fire.
- Heat-ignition : KEEP SUBSTANCE AWAY FROM: heat sources.
- Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents. Strong acids. Flammable materials. halogens. moisture.
- Storage area : Store in a dry area. Keep container in a well-ventilated place. Store at ambient temperature. Fireproof storeroom. Provide the tank with earthing. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labeled. meet the legal requirements. Secure fragile packaging in solid containers. Store in a closed container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Magnesium Ribbon (7439-95-4)	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

- Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Ensure good ventilation of the work station.
- Personal protective equipment : Protective clothing. Protective goggles. Gloves.



- Materials for protective clothing : GIVE GOOD RESISTANCE: leather.
- Hand protection : Gloves. Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses. Safety glasses.
- Skin and body protection : Protective clothing.
- Respiratory protection : Respiratory protection not required in normal conditions. Wear appropriate mask.
- Environmental exposure controls : Avoid release to the environment.
- Other information : Do not eat, drink or smoke during use.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Metal.
Molecular mass	: 24,31 g/mol
Color	: Silvery-white
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 650 °C
Freezing point	: No data available
Boiling point	: 1107 °C
Flash point	: No data available
Auto-ignition temperature	: 620 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 0,1 hPa
Relative vapor density at 20 °C	: No data available
Relative density	: 1,7
Specific gravity / density	: 1738 kg/m <sup>3</sup>
Solubility	: insoluble in water. Substance sinks in water. Soluble in mineral acids.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content	: 0 %
-------------	-------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts slowly with water (moisture): release of highly flammable gases/vapours (hydrogen). This reaction is accelerated on exposure to (strong) acids. Burning substance reacts explosively with water. Reacts violently with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: release of highly flammable gases/vapours (hydrogen). Flammable solid. Self-heating: may catch fire.

#### 10.2. Chemical stability

Unstable on exposure to moisture. Flammable solid. May form flammable/explosive vapor-air mixture. Self-heating: may catch fire.

#### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Water, humidity.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified  
(Based on available data, the classification criteria are not met)

Magnesium Ribbon ( f )7439-95-4	
LD50 oral rat	> 2000 mg/kg (Rat)

Skin corrosion/irritation : Not classified  
(Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Not classified  
(Based on available data, the classification criteria are not met)

Respiratory or skin sensitization : Not classified  
(Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified  
(Based on available data, the classification criteria are not met)Based on available data, the classification criteria are not met

Carcinogenicity : Not classified  
(Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified  
(Based on available data, the classification criteria are not met)Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified  
(Based on available data, the classification criteria are not met)

Specific target organ toxicity (repeated exposure) : Not classified  
(Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified  
(Based on available data, the classification criteria are not met)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : AFTER INHALATION OF FUME: Metal fume fever.

Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Gastrointestinal complaints. Inflammation/damage of the eye tissue. Possible inflammation of the respiratory tract. Coughing.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Ecology - air : Not dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : No water pollutant (surface water). Not harmful to aquatic organisms.

#### 12.2. Persistence and degradability

Magnesium Ribbon (7439-95-4)	
Persistence and degradability	Biodegradability: Not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

Magnesium Ribbon (7439-95-4)	
Bioaccumulative potential	Not established.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer :

Other information :

Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Reuse or recycle following decontamination. Remove for physico-chemical/biological treatment. Remove to an authorized dump (Class I). Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed waste centre in accordance with local/regional/national/international regulations.

Additional information :

LWCA (the Netherlands): KGA category 06. Can be considered as non hazardous waste according to Directive 2008/98/EC.

Ecology - waste materials :

Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT

Transport document description :

UN1869 Magnesium, 4.1, III

UN-No.(DOT) :

UN1869

Proper Shipping Name (DOT) :

Magnesium

Department of Transportation (DOT) Hazard Classes :

4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

Hazard labels (DOT) :

4.1 - Flammable solid



Packing group (DOT) :

III - Minor Danger

DOT Special Provisions (49 CFR 172.102) :

A1 - Single packaging are not permitted on passenger aircraft.  
IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).  
IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.  
T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)  
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) :

151

DOT Packaging Non Bulk (49 CFR 173.xxx) :

213

DOT Packaging Bulk (49 CFR 173.xxx) :

240

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) :

25 kg

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 100 kg

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 39 - Stow "away from" liquid halogenated hydrocarbons, 52 - Stow "separated from" acids, 53 - Stow "separated from" alkaline compounds, 74 - Stow "separated from" oxidizers, 101 - Stow "separated from" iron oxide

### Additional information

Other information : No supplementary information available.

### ADR

Transport document description : UN 1869 MAGNESIUM, 4.1, III, (E)  
Packing group (ADR) : III  
Class (ADR) : 4.1 - Flammable solids, self-reactive substance and solid desensitized explosives  
Hazard identification number (Kemler No.) : 40  
Classification code (ADR) : F3  
Hazard labels (ADR) : 4.1 - Flammable solid



Orange plates :



Tunnel restriction code (ADR) : E  
LQ : 5kg  
Excepted quantities (ADR) : E1

### Transport by sea

UN-No. (IMDG) : 1869  
Proper Shipping Name (IMDG) : MAGNESIUM  
Class (IMDG) : 4.1 - Flammable solids, self-reactive substance and solid desensitized explosives  
Packing group (IMDG) : III - substances presenting low danger

### Air transport

UN-No. (IATA) : 1869  
Proper Shipping Name (IATA) : Magnesium  
Class (IATA) : 4.1 - Flammable solids  
Packing group (IATA) : III - Minor Danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Magnesium Ribbon (7439-95-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Sol. 1 H228

Water-react. 2 H261

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Self-heat. 1 H251

Full text of H-phrases: see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

F; R15

Full text of R-phrases: see section 16

### 15.2.2. National regulations

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Revision date : 12/15/2014

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases:


Flam. Sol. 1	Flammable solids Category 1
Self-heat. 1	Self-heating substances and mixtures Category 1
Water-react. 2	Substances and mixtures which in contact with water emit flammable gases Category 2
H228	Flammable solid
H251	Self-heating: may catch fire
H261	In contact with water releases flammable gases

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.

NFPA specific hazard : W - Unusual reactivity with water. This indicates a potential hazard using water to fight a fire involving this material. When a compound is both water-reactive and an oxidizer, the W/bar symbol should go in this quadrant and the OX warning is placed immediately below the NFPA diamond.



HMIS III Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 1 Slight Hazard

Physical : 1 Slight Hazard

Personal Protection : C

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*



## Section 1 Chemical Product and Company Identification

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION</b>
----------------	---

<b>Synonyms</b>	1% Phenolphthalein in IPA
-----------------	---------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08**Target organs:** Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Eye irritation (Category 2)

STOT-SE (Category 2)

Mutagenicity (Category 2)

Carcinogen (Category 1B)

Reproductive toxicity (Category 2)

**GHS Label information: Hazard statement(s):**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H361: Suspected of damaging fertility.

**Precautionary statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313: If exposed or concerned: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Isopropyl alcohol	67-63-0	70%	200-661-7
Water	7732-18-5	29%	231-791-2
Phenolphthalein	77-09-8	1%	201-004-7

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL, IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> >1	<b>Partition coefficient:</b> (n-octanol / water): Data not available
<b>Odor:</b> Aromatic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 399°C (750°F) ASTM-E659-78 [Pure IPA]
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 2% / 12% [Pure IPA]	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 33 mm @20°C [Pure IPA]	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Approximately -50°C (-58°F)*	<b>Vapor density (Air = 1):</b> 2.1 [Pure IPA]	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> Approximately 85-100°C (185-212°F)*	<b>Relative density (Specific gravity):</b> 0.8*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> 21.7°C (71°F) TCC [70% IPA]	<b>Solubility(ies):</b> Complete in water.	*[70% IPA]

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: >2000 mg/kg ; Inhalation-rat LC50: >5000 ppm/1hr [Isopropanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

**NTP:** Reasonably anticipated to be a human carcinogen. [Phenolphthalein]

**IARC classified:** Group 2B: Possibly carcinogenic to humans. [Phenolphthalein]

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**CA Prop 65:** ⚠️ **WARNING!** :This product can expose you to Phenolphthalein, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Yes

**Potential health effects:**

**Inhalation:** Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

**Ingestion:** Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

**Skin:** Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

**Eyes:** Contact causes burning sensation, redness, swelling, and/or blurred vision.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: NT8050000 [Isopropanol] / SM8380000 [Phenolphthalein]

## Section 12 Ecological Information

**Toxicity to fish:** Pimephales promelas (Fish, fresh water) LC50: 9640 mg/l/96 hours [Isopropanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = >10,000 mg/l/24 hours [Isopropanol]

**Toxicity to algae:** Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/l/7 days [Isopropanol]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1219

**Shipping name:** Isopropanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2016 ERG Guide #** 129

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Phenolphthalein	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.