

## SECTION 1 Identification of the substance/mixture and of the company

### 1.1 Product identifier

- Product Name: **Nutrient Agar**
- Product Part Number: **7145**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/preparation: For the cultivation of a wide variety of microorganisms. Conforms to FDA/BAM formulation.
- Use advised against: No information available

### 1.3 Details of the supplier of the safety data sheet

- Name of Manufacturer: Acumedia Manufacturers, Inc.
- Address of Manufacturer: 740 East Shiawassee  
Lansing, Michigan 48912  
USA
- Telephone: 517/372-9200
- Email: [Foodsafety@neogen.com](mailto:Foodsafety@neogen.com)

### 1.4 Emergency telephone number

- Emergency Telephone: Chemtrec: (800) 424-9300  
Outside USA and Canada: +1 (703) 527-3887
- 

## SECTION 2 Hazards identification

### 2.1 Classification of the substance or mixture

- Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]
- Not classified as hazardous for supply
- Classification (67/548/EEC, 1999/45/EC) (OSHA 29 CFR 1910.1200)
- Not classified as hazardous for supply
- Additional information: For full text of R-phrases and Hazard- and EU Hazard-statements: see section 16

### 2.2 Label elements

- Signal Word: None
- Symbols: None
- Hazard phrases  
None
- Precautionary Phrases  
Keep container tightly closed.  
Do not breathe dust  
Do not get in eyes, on skin, or on clothing.

### 2.3 Other hazards

- Mildly irritating to skin and eyes
  - Mildly irritating to respiratory system
- 

## SECTION 3 Composition/information on ingredients

### 3.1 Substances

### 3.2 Mixtures

- This product does not contain any hazardous substances at the concentration limits given in Regulation (EC) No. 1272/2008 and OSHA Hazard Communication Standard 29 CFR 1910.1200
-

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

- Contact with skin
  - Remove contaminated clothing
  - Wash affected area with plenty of soap and water
  - If skin irritation or rash occurs: Get medical advice/attention.
  - Contaminated clothing should be laundered before reuse
- Contact with eyes
  - If substance has gotten into eyes, immediately wash out with plenty of water for at least 15 minutes
  - Irrigate eyes thoroughly while lifting eyelids
  - Seek medical advice if necessary
- Ingestion
  - Rinse mouth with water (do not swallow)
  - Never make an unconscious person vomit or drink fluids
  - If medical advice is needed, have product container or label at hand.
- Inhalation
  - If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - Call a POISON CENTER or doctor/physician if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

- May cause irritation

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
- 

## SECTION 5 Fire-fighting measures

### 5.1 Extinguishing media

- In case of fire: use foam, carbon dioxide or dry agent for extinction

### 5.2 Special hazards arising from the substance or mixture

- Smoke from fires is toxic. Take precautions to protect personnel from exposure
- Decomposition products may include carbon oxides
- May form explosive dust/air mixtures
- See Section 10

### 5.3 Advice for firefighters

- Keep container(s) exposed to fire cool, by spraying with water
  - Wear chemical protection suit and positive-pressure breathing apparatus
  - Wear protective clothing as per section 8
- 

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Shut off all ignition sources
- Use non-sparking hand tools

## SECTION 6 Accidental release measures (continued)

- Avoid raising dust
- Remove contaminated clothing
- Wear protective clothing as per section 8
- Wash thoroughly after dealing with spillage

### 6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses
- Avoid scattering in the environment

### 6.3 Methods and material for containment and cleaning up

- Absorb spillage in inert material and shovel up
- Place in sealable container
- Seal containers and label them
- Seek expert advice for removal and disposal of all contaminated materials and wastes
- Ventilate the area and wash spill site after material pick-up is complete

### 6.4 Reference to other sections

- See Section 7
- 

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

- Do not breathe dust
- Avoid contact with skin and eyes
- Do not eat, drink or smoke when using this product.
- Ensure adequate ventilation
- Eyewash bottles should be available
- Wash hands thoroughly after using this substance

### 7.2 Conditions for safe storage, including any incompatibilities

- Store at temperatures not exceeding 30°C/86°F. Keep cool.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in a dry place.
- Keep away from oxidizing substances
- Keep away from acid

### 7.3 Specific end use(s)

- For the cultivation of a wide variety of microorganisms. Conforms to FDA/BAM formulation.
- 

## SECTION 8 Exposure controls/personal protection

### 8.1 Control parameters

- There are no recommended or established controls for this product

### 8.2 Exposure controls

- Eyewash bottles should be available
- Engineering controls should be provided to prevent the need for ventilation
- No respiratory protection is needed if ventilation/extraction is adequate, otherwise wear approved dust mask, N95 (US) or type FFP1 (EN143) dust masks.
- Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.
- Wear safety glasses approved to standard for NIOSH (US) or EN 166.

## SECTION 8 Exposure controls/personal protection (continued)

- Wear suitable protective clothing



Gloves

Safety  
Glasses

Lab Coat

---

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance: Homogenous, free-flowing powder, Beige
- Odor: No information available
- pH: Not applicable
- Melting point/Range: No information available
- Boiling Point/Range: Not determined
- Flashpoint: No information available
- Evaporation Rate: No information available
- Flammability: No information available
- Vapor Pressure: No information available
- Vapor Density: No information available
- Specific Gravity: No information available
- Solubility in water: Completely soluble in water
- Partition Coefficient (n-Octanol/Water): No information available
- Autoignition Temperature Product is not self-igniting
- Viscosity: No information available
- Explosive Properties: Product does not present an explosion hazard
- Oxidizing Properties: No information available

### 9.2 Other information

- No information available

---

## SECTION 10 Stability and reactivity

### 10.1 Reactivity

- No information available

### 10.2 Chemical stability

- Considered stable under normal conditions

### 10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

### 10.4 Conditions to avoid

- Avoid contact with moisture
- Keep away from heat and sources of ignition

### 10.5 Incompatible materials

- Incompatible with oxidizing substances

### 10.6 Hazardous Decomposition Products

- Decomposition products may include carbon oxides

## SECTION 11 Toxicological information

### 11.1 Information on toxicological effects

- No experimental data available
  - Contact with skin
    - May cause redness and irritation
  - Contact with eyes
    - May cause redness and irritation
  - Ingestion
    - May cause irritation of the throat
  - Inhalation
    - May cause coughing
  - Carcinogenicity
    - No evidence of carcinogenic effects
  - Mutagenicity
    - No evidence of mutagenic effects
  - Teratogenicity
    - No information available
- 

## SECTION 12 Ecological information

### 12.1 Toxicity

- No information available

### 12.2 Persistence and degradability

- No information available

### 12.3 Bioaccumulation Potential

- No information available

### 12.4 Mobility in soil

- No information available

### 12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII
- PBT/vPvB assessment not available

### 12.6 Other Adverse Effects

- To the best of our knowledge, the properties of this material have not been fully evaluated
  - On available data, substance is not harmful to the environment
- 

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorized waste collection point
- Do not reuse empty containers without commercial cleaning or reconditioning
- Refer to manufacturer/supplier for information on recovery/recycling

### 13.2 Classification (REACH)

- Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
-

## SECTION 14 Transport information

### 14.1 UN Number

Not classified as hazardous for transport

### 14.2 UN Proper Shipping Name

- Not applicable

### 14.3 Transport hazard class(es)

- Not applicable

### 14.4 Packing group

- Not applicable

### 14.5 Environmental hazards

- Not Classified

### 14.6 Special precautions for user

- Not Classified

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not Classified

### 14.8 DOT

- Proper Shipping Name: Not applicable
- DOT UN No.: Not applicable
- DOT Hazard Class: Not applicable
- DOT Packing Group: Not applicable

### 14.9 Road/Rail (ADR/RID)

- Proper Shipping Name: Not applicable
- ADR UN No.: Not applicable
- ADR Hazard Class: Not applicable
- ADR Packing Group: Not applicable
- Tunnel Code: Not applicable

### 14.10 Sea (IMDG)

- Proper Shipping Name: Not applicable
- IMDG UN No.: Not applicable
- IMDG Hazard Class: Not applicable
- IMDG Pack Group.: Not applicable

### 14.11 Air (ICAO/IATA)

- Proper Shipping Name: Not applicable
  - ICAO Un No.: Not applicable
  - ICAO Hazard Class: Not applicable
  - ICAO Packing Group: Not applicable
- 

## SECTION 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet is provided in compliance with the EC Directive 1907/2006-453/2010 and OSHA Hazard Communication Standard 29 CFR 1910.1200.
- Regulation (EC) No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) applies in Europe

### 15.2 Chemical Safety Assessment

- No information available

### 15.3 United States Regulatory Information

## SECTION 15 Regulatory information (continued)

### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

SARA 313: The material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312

No SARA Hazards

---

## SECTION 16 Other information

This document is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. Neogen Corporation shall not be held liable for any damage resulting from handling or from contact with the above product. These suggestions should not be confused with state, municipal or insurance requirements, and constitute NO WARRANTY.

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-May-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** permanent marker black ink

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Pens

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Wenzhou Aihao Pen Trade Co., Ltd

**Supplier Address** No.128, Wenchang Road, Longwan Zone  
Wenzhou  
Zhejiang  
325011  
CN

**Supplier Phone Number** Phone:86-13524536325  
Contact Phone86-021-68622126

**Supplier Email** 732314056@qq.com

### Emergency telephone number

## 2. HAZARDS IDENTIFICATION

### Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3





**GHS Label elements, including precautionary statements****Emergency Overview**

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard Statements</b> Causes skin irritation Causes serious eye damage Suspected of causing genetic defects May cause drowsiness or dizziness		
		
<b>Appearance</b> Black	<b>Physical state</b> Solid containing liquid	<b>Odor</b> Alcohol

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

IF EXPOSED OR CONCERNED: Get medical advice/attention  
Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician

**Skin**

IF ON SKIN: Wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Precautionary Statements - Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

10.6% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

May be harmful if swallowed  
Toxic to aquatic life with long lasting effects

**Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1196598)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1196598)	Proprietary	15 - 40	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1196598)	Proprietary	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin contact**

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

**Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

**Self-protection of the first aider**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed****Most Important Symptoms and Effects**

Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific hazards arising from the chemical**

No information available.

#### **Uniform Fire Code**

Irritant: Solid

### **Hazardous Combustion Products**

Carbon oxides.

### **Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8.

### **Environmental precautions**

#### **Environmental precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

**Incompatible Products** Strong acids. Strong oxidizing agents. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1196598)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Third Party Formulation (TP # 1196598)	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m <sup>3</sup>	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 625 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** None required for consumer use. If there is a risk of contact: Tight sealing safety goggles.

**Skin and body protection** None required for consumer use. Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical state</b>	Solid containing liquid	<b>Odor</b>	Alcohol
<b>Appearance</b>	Black	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

### Other Information

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1196598)	= 5200 mg/kg ( Rat )	= 13 g/kg ( Rabbit )	= 54.6 mg/L ( Rat ) 4 h > 24 mg/L ( Rat ) 1 h
Third Party Formulation (TP # 1196598)	= 1870 mg/kg ( Rat )	-	> 13548 ppm ( Rat ) 4 h
Third Party Formulation (TP # 1196598)	= 1219 mg/kg ( Rat )	-	-

### Information on toxicological effects

#### Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness. Burning. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	There is no data available for this product. Contains a known or suspected mutagen.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1196598)		Group 3		

*IARC (International Agency for Research on Cancer)  
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic Toxicity</b>	Contains a known or suspected mutagen. Possible risk of irreversible effects. Carcinogenic potential is unknown.
<b>Target Organ Effects</b>	Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Central Nervous System (CNS). Gastrointestinal tract (GI).
<b>Aspiration Hazard</b>	No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**  
2,458.00 mg/kg  
**ATEmix (dermal)**  
23,718.00 mg/kg (ATE)  
**ATEmix (inhalation-dust/mist)**  
99.60 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1196598)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1196598)		96h LC50: = 4480 mg/L (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	48h EC50: 3339 - 3977 mg/L 48h EC50: = 3642 mg/L
Third Party Formulation (TP # 1196598)	72h EC50: = 36 mg/L (Desmodesmus subspicatus)	96h LC50: = 5.6 mg/L (Cyprinus carpio)		48h EC50: = 5.2 mg/L

### Persistence and Degradability

No information available.

### Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1196598)	-0.437
Third Party Formulation (TP # 1196598)	0.34
Third Party Formulation (TP # 1196598)	2

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### **Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

#### **California Hazardous Waste Codes 331**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1196598)	Toxic Ignitable





## 14. TRANSPORT INFORMATION

<b>DOT</b>	NOT REGULATED
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>IATA</b>	Not regulated
<b>Proper Shipping Name</b>	NON REGULATED
<b>Hazard Class</b>	N/A
<b>IMDG/IMO</b>	Not regulated
<b>Hazard Class</b>	N/A
<b>Marine Pollutant</b>	Product is a marine pollutant according to the criteria set by IMDG/IMO
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1196598)	X	X	X		
Third Party Formulation (TP # 1196598)	X	X	X		

**International Regulations****Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1196598) ( 15 - 40 )		Mexico: TWA 200 ppm Mexico: TWA 500 mg/m <sup>3</sup> Mexico: STEL 250 ppm Mexico: STEL 625 mg/m <sup>3</sup>

*Mexico - Occupational Exposure Limits - Carcinogens*

**Canada****WHMIS Hazard Class**

Not determined

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards - Personal Protection</b> X
<b>HMIS</b>	<b>Health Hazards</b> 3 *	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

<b>Prepared By</b>	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
<b>Revision Date</b>	13-May-2015
<b>Revision Note</b>	No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**



**SAFETY DATA SHEET**

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**LIGHTER**

**Section 1. PRODUCT AND COMPANY IDENTIFICATION**

**GHS Product Identifier:** Lighter  
**Model No.:** SE-9000  
**Product Type:** Compressed Gas  
**Recommended Use:** Create flame to light gas appliances, candles, fire logs, charcoal, camp and fireplace fires, chafing fuel, torches, lanterns and similar items.  
**Supplier:** American Lighter, Inc.  
**Address:** 5690 Bandini Blvd., Bell, CA 90201, USA  
**General Telephone No.:** 323-266-1950  
**Transportation Emergency Telephone No.:** Chemtrec: 1-800-424-9300

**Section 2. HAZARDS IDENTIFICATION**

**OSHA/HCS Status:** This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Classification:** Flammable Gas, Hazard Class 2.1

**GHS Label Elements:**

**Hazard Pictograms**



**Signal Word:** Danger  
**Hazard Statements:** Extremely flammable.  
Contents under pressure.  
Keep out of reach of children.

**Precautionary Statements:** Point nozzle away from face, hands and clothing.  
Contains flammable gas under pressure.  
Do not use near sparks or open flame.  
Never puncture or put in fire.  
Never expose to heat above 122°F (50°C) or to prolonged sunlight.  
Be sure flame is completely out after each use.  
Do not use to light cigarettes, cigars or pipes.  
Follow all instructions and warnings provided by manufacturer of appliance, grill, outdoor stove, lantern, candle, torch, charcoal, lighter fluid or any other item when using this product.  
Do not keep lit for more than 30 seconds.  
Extreme heat is present above the visible flame. Extra care should be taken to prevent burns, injury or fire.  
Metal nozzle tip can get very hot. Do not touch during or immediately after use.

**Disposal:** Disposal must be in compliance with requirements of State and Federal hazmat and waste disposal regulations.

**Section 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS Number	%
Butane (n-Butane)	106-97-8	90
Propane (n-Propane, Propyl Hydride)	74-98-6	10

(See Section 8 for Exposure Limits.)

**Section 4. FIRST AID MEASURES**

<b>Inhalation:</b>	Causes displacement of oxygen in respiratory system. Move exposed person to fresh air. For respiratory distress give air, oxygen and administer cardio-pulmonary resuscitation as needed.
<b>Skin Contact:</b>	May cause irritation to skin. Flush off immediately with water. Frozen skin should be flooded with warm water (105-115°F). Clothing frozen to skin should be thawed before removal. Seek medical attention if irritation persists.
<b>Eye Contact:</b>	May cause burns or irritation to eye. Remove contact lenses and immediately flush with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Seek medical attention immediately.
<b>Ingestion:</b>	Ingestion is considered unlikely. If accidentally swallowed obtain immediate medical attention.
<b>Section 5. FIRE FIGHTING MEASURES</b>	
<b>Suitable Extinguishing Media:</b>	Use carbon dioxide, dry powder or water spray to extinguish fire.
<b>Fire Fighting Procedures:</b>	Confine fire to immediate area. Disperse liquid or vapor if leaks occur.
<b>Unusual Fire and Explosion Hazards:</b>	Will form explosive mixtures in air. Vapors from liquified gas initially heavier than air and will spread along ground. Vapors may travel back to ignition source and flash back.
<b>Protective Equipment:</b>	For large fires in confined areas, use self-contained breathing apparatus. Do not inhale combustion or erupted gases.
<b>Section 6. ACCIDENTAL RELEASE MEASURES</b>	
<p>Keep unnecessary people away; isolate hazard and deny entry.  Stay upwind; keep out of low areas (also see Section 8).  Remove all ignition sources.  Ventilate area of leak to disperse the gas.  All equipment used in handling the release must be grounded.  For high gas concentrations use NIOSH/MSHA approved SCBA.</p>	
<b>Section 7. HANDLING AND STORAGE</b>	
<b>Handling:</b>	Keep away from heat, sparks and flame. Also keep away from food, drink and animal feed.
<b>Storage:</b>	Store in a cool, dry place with adequate cross-ventilation. Do not store in temperatures exceeding 122°F (50°C) or expose to direct sunlight. Do not store with strong acids (e.g. hydrochloric acid, sulfuric acid), strong bases (e.g. sodium hydroxide, potassium hydroxide), oxidizing agents (e.g. perchlorates, peroxides, permanganates, chlorates, chlorine, fluorine, bromine), copper and mixtures of nickel carbonyl and oxygen.
<b>Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>Exposure Limits:</b>	<b>Component, Butane (n-Butane)</b> - 800 PPM (ACGIH TLV, NIOSH) <b>Component, Propane (n-Propane, Propyl Hydride)</b> - 1000 PPM (ACGIH TLV, NIOSH, OSHA PEL)
<b>Engineering Controls:</b>	Ensure adequate ventilation of working area. Use only intrinsically safe electrical equipment approved for use in classified areas.
<b>Personal Protective Equipment:</b>	None under normal conditions. In the event of an accidental release, firefighters and emergency personnel should wear positive pressure self-contained breathing apparatus (SCBA) (NIOSH/MHSA approved) for high concentrations. Personnel handling accidental releases or leaks should wear rubber gloves and ANSI approved chemical worker goggles.
<b>Section 9. PHYSICAL AND CHEMICAL PROPERTIES</b>	

<b>Appearance:</b>	Liquified gas under pressure. Clear, odorless.
<b>pH:</b>	Not applicable.
<b>Melting Point/Freezing Point:</b>	-305°F (-187°C)
<b>Initial Boiling Point and Range:</b>	31.1°F (-0.5°C) at 1,013.25 hPa
<b>Flash Point:</b>	<-76°F (<-60°C), Method ASTM D92
<b>Evaporation Rate:</b>	High
<b>Flammability (solid, gas):</b>	Gas
<b>Lower Flammability Limit:</b>	1.8% (V)
<b>Upper Flammability Limit:</b>	8.5% (V)
<b>Vapor Pressure:</b>	2,399.8 hPa at 68°F (20°C)
<b>Vapor Density:</b>	2.007 at 70°F (21.1°C), (Air = 1.0)
<b>Relative Density:</b>	0.56 at 59°F (15°C)
<b>Solubility in Water:</b>	17 cc per 1000 cc of Water @ 170.6°F (77°C)
<b>Partition Coefficient (Octanol/Water):</b>	Not Available
<b>Auto Ignition Temperature:</b>	549°F (287°C)
<b>Decomposition Temperature:</b>	Heating may cause a fire or explosion. Material does not decompose at ambient temperatures. Carbon monoxide and non-combusted hydrocarbons (smoke) are possible hazardous decomposition products.

#### Section 10. STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions:</b>	Can react with strong acids, strong oxidizers and copper. Explosion hazard when exposed to carbonyl/oxygen mixture.
<b>Conditions to Avoid:</b>	Keep away from flame, sparks, excessive temperatures and open flame.
<b>Incompatible Materials:</b>	Can react with strong acids, strong oxidizers and copper.
<b>Reactivity and Hazardous</b>	Decomposition Products: Vapors may form an explosive mixture with air. Hazardous polymerization does not occur.

#### Section 11. TOXICOLOGICAL INFORMATION

<b>Inhalation:</b>	May cause central nervous system disorder (e.g. narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Simple asphyxiant: acts by displacing oxygen in the lungs thereby diminishing the supply of oxygen available to the blood and tissues. Symptoms include shortness of breath, rapid heart rate, incoordination, lethargy, headaches, nausea, vomiting and disorientation. Continued lack of oxygen may result in convulsions, loss of consciousness and death. Since exercise increases the tissue need for oxygen, symptoms will occur more quickly during exertion in an oxygen-deficient environment. Exposure to high concentrations may cause cardiac sensitization.
<b>Ingestion:</b>	Considered unlikely.
<b>Skin and Eye Contact:</b>	Rapid release of liquified gases under pressure may cause frost burns of exposed tissues (skin, eye) due to evaporative cooling.
<b>Further Information:</b>	Chronic Effects and/or Target Organ Data - May cause central nervous system disorder (e.g. narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite (cold burn). Simple asphyxiant: acts by displacing oxygen in the lungs thereby diminishing the supply of oxygen available to the blood and tissues. Symptoms include shortness of breath, rapid heart rate, incoordination, lethargy, headaches, nausea, vomiting and disorientation. Continued lack of oxygen may result in convulsions, loss of consciousness and death. Since exercise increases the tissue need for oxygen, symptoms will occur more quickly during exertion in an oxygen-deficient environment. Oxygen in enclosed spaces should be maintained at normal atmospheric percentage (about 21% by volume).

<b>Components:</b>	<b>Butane</b>	<b>CAS No. 106-97-8</b>	<u>Skin Irritation:</u> Classification - Irritating to skin. Result - Skin irritation.
	<b>Propane</b>	<b>CAS No. 74-98-6</b>	
			<u>Eye Irritation:</u> Classification - Irritating to eyes. Result - Mild eye irritation.
	<b>NTP</b>		No component of this product which is present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
	<b>IARC</b>		No component of this product which is present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
	<b>OSHA</b>		No component of this product which is present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.






**Section 12. ECOLOGICAL INFORMATION**

<b>Bioaccumulation:</b>	Accumulation in aquatic organisms is unlikely.
<b>Toxicity to Fish:</b>	Not expected to be harmful to aquatic organisms.
<b>Additional Ecological Information:</b>	Liquid release is only expected to cause localized, non-persistent environmental damage, such as freezing. Biodegradation of this product may occur in soil and water. Volatilization is expected to be the most important removal process in soil and water. This product is expected to exist entirely in the vapor phase in ambient air.

**Section 13. DISPOSAL CONSIDERATIONS**

<b>Disposal:</b>	Discharge remaining fuel from lighters at a moderate rate in well ventilated area without ignition sources. Dispose of empty lighters in accordance with state, local and federal requirements.
------------------	---

**Section 14. TRANSPORT INFORMATION**

<b>CFR:</b>	Proper Shipping Name -	Lighters	
	UN No. -	1057	
	Class -	2.1	
	Packing Group -	None	
<b>DOT/TDG:</b>	Proper Shipping Name -	Lighters	
	UN No. -	1057	
	Class -	2.1	
	Packing Group -	None	
<b>IATA Cargo Transport:</b>	UN No. -	1057	
	Description of the Goods -	Lighters	
	Class -	2.1	
	ICAO - Labels -	2.1	
<b>IATA Passenger Transport:</b>	UN No. -	1057	
	Description of the Goods -	Lighters	
	Class -	2.1	
	ICAO - Labels -	2.1	
<b>IMDG:</b>	UN No. -	1057	
	Description of the Goods -	Lighters	
	Class -	2.1	
	IMDG - Labels -	2.1	
	EmS Number -	F-D S-U	
	Marine Pollutant -	No	

**Sectoin 15. REGULATORY INFORMATION**

<b>Consumer Safety:</b>	See ASTM F400-10, ASTM F2201-10, ISO 9994, ISO 22702, in addition to various national and regional laws, regulations and standards, such as the the Lighters Regulations of the Hazardous Products Act of Canada, CEN, EU, etc.
<b>Child Safety:</b>	See 16 CFR Parts 1210 and 1212, in addition to various national and regional laws, regulations and standards, such as the Lighters Regulations of the Hazardous Products Act of Canada, CEN, EU, etc.
<b>CERCLA Section 103 and SARA Section 304 (Release to the Environment):</b>	The CERCLA definition of hazardous substances contains a "petroleum exclusion" which exempts crude oil. Fractions of crude oil, and products (both finished and intermediate) from the crude oil refining process and any indigenous components of such from the CERCLA Section 103 reporting requirements. However, other federal reporting requirements, including SARA Section 304, as well as the Clean Water Act, may apply.
<b>TSCA Status:</b>	Butane and Propane are on the TSCA inventory.
<b>DSL Status:</b>	Butane and Propane are on the Canadian DSL list.
<b>SARA 311/312 Hazards:</b>	Fire Hazard Acute Health Hazard
<b>PENN RTK (Pennsylvania Worker and Community Right-to-Know Law):</b>	Components: Butane CAS No. 106-97-8 Propane CAS No. 74-98-6
<b>MASS RTK (Massachusetts Commonwealth Right-to-Know Law):</b>	Components: Butane CAS No. 106-97-8 Propane CAS No. 74-98-6
<b>NJ RTK (New Jersey Worker and Community Right-to-Know Act):</b>	Components: Butane CAS No. 106-97-8 Propane CAS No. 74-98-6
<b>California Proposition 65:</b>	This product does not contain any chemicals known to the State of California to cause cancer, birth or any other reproductive defects.

**Section 16. OTHER INFORMATION****National Fire Protection Association (NFPA) Ratings:**

**Health - 1**  
**Flammability - 4**  
**Reactivity - 0**

This information is intended solely for the use of individuals trained in the NFPA system.

**Further Information:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific material components designated and may not be valid for such components used in combination with any other materials or in any process, unless specified in the text.

**Revision Date:**

2/2/2016



## Section 1 Identification

Page E1 of E2



**Aldon  
Corporation**

221 Rochester Street  
Avon, NY 14414  
(585) 226-6177

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

**Product** SODIUM HYPOCHLORITE, 5% SOLUTION

**Synonyms** Chlorine Bleach / Bleach

## Section 2 Hazards identification

**Signal word:** WARNING

**Pictograms:** GHS07

**Target organs:** Eyes, Skin, Respiratory system



**GHS Classification:**

Skin irritation (Category 2)

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H315: Causes skin irritation.

H319: Causes serious eye irritation.

**Supplementary information:**

EUH031: Contact with acids liberates toxic gas.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	95.00%	231-791-2
Sodium hypochlorite	7681-52-9	5.00%	231-668-3
Sodium carbonate	497-19-8	<0.1%	207-838-8

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, emits toxic fumes of chlorine. Contact with hydrochloric acid liberates chlorine gas. This material will react with some metals, which may cause liberation of oxygen. Vigorous reactions can occur with oxidizable materials and organics.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Protect from sunlight.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hypochlorite	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Clear, pale yellow liquid.

**Odor:** Chlorine odor.

**Odor threshold:** Data not available.

**pH:** 9.2

**Melting / Freezing point:** Data not available

**Boiling point:** Data not available

**Flash point:** Non-flammable

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** Data not available

**Solubility(ies):** Complete in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** >100°C (212°F)

**Viscosity:** Data not available.

**Molecular formula:** Mixture

**Molecular weight:** Mixture

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and direct sunlight.

**Incompatible materials:** Acids, oxidizable materials, combustibles, ammonia and/or metals.

**Hazardous decomposition products:** Chlorine given off on contact with acids. Thermal decomposition may produce hydrochloric acid with heat, hypochlorous acid vapors. Oxygen can be generated during decomposition.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Cough and sore throat.

Ingestion: Abdominal pain, burning sensation, cough, diarrhea, sore throat, vomiting.

Skin: Redness, pain.

Eyes: Redness, pain.

**Signs and symptoms of exposure:** Repeated or prolonged contact may cause skin sensitization. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** NH3486300 [Sodium hypochlorite]

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** Yes

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium hypochlorite	Listed	100 lbs (45.4 kg)	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page F1 of F2



**Aldon  
Corporation**

221 Rochester Street  
Avon, NY 14414  
(585) 226-6177

**CHEMTREC 24 Numéros De Téléphone De  
Secours D'Heure (800) 424-9300**  
Pour l'usage industriel et de laboratoire seulement.  
Pas pour l'usage de drogue, de nourriture ou de ménage.

**Produit** HYPOCHLORITE DE SODIUM, SOLUTION DE 5%

**Synonymes** Eau de javel / Bleach

## Section 2 Identification des dangers

**Mention d'avertissement:** AVERTISSEMENT

**Pictogrammes:** GHS07

**Les organes cibles:** Les yeux, la peau et le système respiratoire



**Classification par le GHS:**

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2A)

**Renseignements sur l'étiquette GHS: Mention de danger:**

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

**Des renseignements supplémentaires:**

EUH031: Le contact avec des acides, dégage un gaz toxique.

**Déclarations de précaution:**

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant 15 minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

**Dangers non classés autrement:**

Dangers pour la santé non classés ailleurs (HHNOC) - pas connu

Dangers physiques non classés autrement (PHNOC) - pas connu

## Section 3 Composition / information sur les ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	95,00%	231-791-2
Hypochlorite de sodium	7681-52-9	5,00%	231-668-3
Carbonate de sodium	497-19-8	<0,1%	207-838-8

## Section 4 Premiers soins

**INGESTION:** NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

**INHALATION:** NOCIF EN CAS D'INHALATION. PROVOQUE DES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

**CONTACT AVEC LES YEUX:** PROVOQUE UNE GRAVE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

**ABSORPTION PAR LA PEAU:** PROVOQUE UNE IRRITATION CUTANÉE. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

## Section 5 Mesures à prendre en cas d'incendie

**Moyens d'extinction:** Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

**Dangers spécifiques:** Pendant un feu, émet les vapeur toxiques du chlore. Le contact avec de l'acide chlorhydrique libère le gaz de chlore. Ce matériel réagira avec quelques métaux, qui peuvent causer la libération de l'oxygène. Les réactions vigoureuses peuvent se produire avec les matériaux et les produits organiques oxydables.

## Section 6 Mesures à prendre en cas de déversement accidentel

**Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

**Confinement et de nettoyage:** Absorbent avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

**Précautions pour la manutention en toute sécurité:** Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhaler les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

**Conditions de stockage:** Stocker dans un endroit frais et bien aéré, loin des substances incompatibles. Protéger du rayonnement solaire.

## Section 8 Contrôle de l'exposition / protection individuelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hypochlorite de sodium	Aucun établi	Aucun établi	Aucun établi

**Contrôles d'ingénierie:** Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

**Protection respiratoire:** Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

## Section 9 Propriétés physiques et chimiques

<b>Apparence:</b> Liquide clair, jaune pâle. <b>Odeur:</b> Odeur de chlore. <b>Seuil de l'odeur:</b> Données non disponibles. <b>pH:</b> 9,2 <b>Point de fusion / congélation:</b> Données non disponibles <b>Point d'ébullition:</b> Décompose <b>Point d'éclair:</b> Ininflammable	<b>Taux d'évaporation ( = 1):</b> Données non disponibles <b>Inflammabilité (solide / gaz):</b> Données non disponibles. <b>Limites d'explosivité: Bas / Max:</b> Données non disponibles <b>Pression de vapeur (mm Hg):</b> Données non disponibles <b>Densité de vapeur (Air = 1):</b> Données non disponibles <b>Densité relative (gravité spécifique):</b> Données non disponibles <b>Solubilité (s):</b> Complet dans l'eau.	<b>Coefficient de partage:</b> Données non disponibles <b>Auto-inflammation:</b> Données non disponibles <b>Température de décomposition:</b> >100°C (212°F) <b>Viscosité:</b> Données non disponibles. <b>Formule moléculaire:</b> Mélange <b>Poids moléculaire:</b> Mélange
--	---	--

## Section 10 Stabilité et réactivité

**Stabilité chimique:** Stable

**Polymérisation dangereuse:** N'aura pas lieu.

**Conditions à éviter:** Les températures excessives et l'ensoleillement direct.

**Matières incompatibles:** Ne mélangez pas à des acides, aux matériaux oxydables, à l'ammoniaque et/ou aux métaux.

**Produits dangereux de décomposition:** La décomposition thermique peut produire l'acide chlorhydrique, vapeurs d'acide hypochloreux. L'oxygène peut être produit pendant la décomposition.

## Section 11 Données toxicologiques

**Toxicité aiguë:** Données non disponibles

**La corrosion de la peau et l'irritation:** Données non disponibles

**Des lésions oculaires graves / irritation:** Données non disponibles

**Respiratoire ou sensibilisation de la peau:** Données non disponibles

**Mutagenicité des cellules germinales:** Données non disponibles

**Cancérogène:** Données non disponibles

**NTP:** Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

**IARC:** Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

**OSHA:** Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

**Reproductive toxicity:** Données non disponibles

**STOT-exposition unique:** Données non disponibles

**STOT-une exposition répétée:** Données non disponibles

**Risque d'aspiration:** Données non disponibles

**Effets d'une surexposition:**

Inhalation: Toux et maux de gorge.

Ingestion: Douleurs abdominales, sensation de brûlure, toux, diarrhée, maux de gorge, des vomissements.

Peau: Rougeur, douleur.

Yeux: Rougeur, douleur.

**Les signes et les symptômes de l'exposition:** Un contact répété ou prolongé peut causer une sensibilisation de la peau. Procédures appropriées d'exercice pour réduire au minimum des risques.

**Informations complémentaires: RTECS #:** NH3486300 [Sodium hypochlorite]

## Section 12 Données écologiques

**Toxicité pour les poissons:** Pas de données disponible

**Toxicité pour les daphnies et autres invertébrés aquatiques:** Pas de données disponible

**Toxicité pour les algues:** Pas de données disponible

**Persistance et dégradabilité:** Pas de données disponible

**Potentiel de bioaccumulation:** Pas de données disponible

**Mobilité dans le sol:** Pas de données disponibles

**Évaluation PBT et vPvB:** Pas de données disponibles

**Autres effets indésirables:** Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

## Section 13 Données sur l'élimination

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

## Section 14 Informations relatives au transport

**Numéro UN / NA:** Non applicable

**Nom d'expédition:** Non réglé

**Classe de danger:** Non applicable

**Groupe d'emballage:** Non applicable

**Quantité à déclarer:** Oui

**Polluant marin:** Non

**Exceptions:** Non applicable

**2020 ERG Guide #:** Non applicable

## Section 15 Informations sur la réglementation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hypochlorite de sodium	Listed	100 lbs (45.4 kg)	Not listed	Listed	Not listed

## Section 16 Autres renseignements

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
**1 703-741-5500 (from anywhere in the world).**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>METHYLENE BLUE CHLORIDE, 1% AQUEOUS SOLUTION</b>
----------------	---

<b>Synonyms</b>	Methylene Blue Chloride, Water Solution
-----------------	---

**Section 2 Hazards Identification**

**Signal word:** WARNING  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:**  
 Acute toxicity, oral (Category 5)

**GHS Label information:**  
**Hazard statement(s):**  
 H303: May be harmful if swallowed.

**Precautionary statement(s):**  
 P312: Call a POISON CENTER or doctor if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	98.8%	231-791-2
Methylene blue chloride	61-73-4	1.0%	200-515-2
Sodium benzoate, as preservative	532-32-1	0.2%	208-534-8

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Methylene blue chloride	None established.	None established.	None established.

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Dark blue liquid. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> ~0°C (32°F) (water) <b>Boiling point:</b> ~100°C (212°F) (water) <b>Flash point:</b> Data not available.	<b>Evaporation rate ( Water = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available. <b>Vapor pressure (mm Hg):</b> 14 (water) <b>Vapor density (Air = 1):</b> 0.7 (water) <b>Relative density (Specific gravity):</b> Approximately 1.1 <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient:</b> Data not available. <b>Auto-ignition temperature:</b> Data not available. <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Excessive temperatures which cause evaporation. Stable under recommended storage conditions.  
**Incompatibilities with other materials:** Strong oxidizing materials and reducers.  
**Hazardous decomposition products:** Sulfur oxides, nitrogen oxides, hydrogen chloride gas.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 1180 mg/kg [Methylene blue chloride] / Oral-rat LD50: 2100 mg/kg [Sodium benzoate]  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:**  
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: May cause respiratory irritation.  
 Ingestion: May be harmful if swallowed.  
 Skin: Contact with skin may cause irritation.  
 Eyes: Contact with eyes may cause irritation.  
**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.  
**Additional information: RTECS #:** SP5740000 [Methylene blue chloride] / DH6650000 [Sodium benzoate]

## Section 12 Ecological Information

**Toxicity to fish:** No data available  
**Toxicity to daphnia and other aquatic invertebrates:** No data available  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable  
**Shipping name:** Not Regulated  
**Hazard class:** Not applicable  
**Packing group:** Not applicable  
**Reportable Quantity:** No  
**Marine pollutant:** No  
**Exceptions:** Not applicable  
**2016 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Methylene blue chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Sodium benzoate	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.