



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 1: Identification

- 1.1 Product trade names:** Sphagnum peat moss
- 1.2 Product Class:** Natural organic planting mixes
 - Product Codes: N/A
 - CAS/EC Number: Product does not have a CAS or EC number.
 - Intended Use: Domestic gardening, planting mixture, and other general horticultural purpose.

1.3 Supplier:
 County Materials Corp.
 205 North St., P.O. Box 100
 Marathon, WI 54448-0100
 General Information Telephone: (800) 289-2569
 Email: riskclaimssafety@countymaterials.com

1.4 Emergency telephone:
 715-223-7788

Section 2: Hazard(s) Identification

2.1 Classification:
 This material is not considered hazardous according to the OSHA Hazard Communication Standard or GHS Hazard Classification and Labelling System.

2.2 Labeling:
Pictograms:
 None.
Signal Word:
 None.
Hazard Statements:
 None.
Precautionary Statements:
 P261 – Avoid breathing dusts.
 P271 – Use only outdoors or in a well-ventilated area.
 P280 – Wear protective gloves, protective clothing, and eye protection.

2.3 Other Hazards: This product is not classified as hazardous under normal conditions of use and storage. Exposure to entrained dusts may occur during agitation of dried product and can cause irritation to respiratory system. Contact with eyes and skin may cause irritation.

Section 3: Composition/Information on Ingredients

Components	CAS Number	EC Number	Concentration%
Peat	--	--	100

This product contains natural agricultural components and decomposed organic matter. It is not anticipated to contain quantities of naturally occurring crystalline silica at greater than 0.1%.



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 4: First-Aid Measures

4.1 Description of first aid measures:

Inhalation: Airborne dust may be inhaled. Remove person to fresh air. Seek medical attention if breathing difficulty develops or persists.

Skin Contact: Wash skin with soap and plenty of water. If irritation develops or persists, seek medical attention.

Eye Contact: Rinse eyes thoroughly with potable water for at least 15 minutes and remove contacts if easy to do. Rinse under eyelids to remove any particles. Seek medical attention for any abrasions or if irritation develops or persists.

Ingestion: Rinse mouth with copious amounts of water. If the person is conscious and aware, give large amounts of water to rinse material and taste from the mouth. Never attempt to make an unconscious person drink or vomit. If the person is unconscious it may be necessary to sweep the blockage out of the mouth using a finger. Seek emergency medical attention if deemed necessary.

4.2 Most important symptoms and effects:

Inhalation: May cause irritation of the respiratory tract.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

4.3 Indication of any immediate medical attention and special treatment needed: See Section 4.1.

Section 5: Fire-Fighting Measures

5.1 Extinguishing media: Product is not flammable. Use appropriate media for fire adjacent to product.

5.2 Special hazards arising from the substance or mixture: None known.

5.3 Advice to firefighters: None.

Section 6: Accidental Release Measures

6.1 Personal precautions: Wear dust-mask or respirator if airborne concentrations approach or exceed exposure limits detailed in Section 8.

6.2 Environmental precautions: Carefully clean up spilled material and place the material into suitable containers and hold for reuse or disposal. Dispose of the waste material in accordance with local regulations.

6.3 Methods and materials for containment and cleaning up: Shovel material. Avoid sweeping to limit dried airborne dust.

6.4 Reference to other sections: Use information obtained throughout this SDS to be fully prepared in case of accidental release.

Section 7: Handling and Storage

7.1 Precautions for safe handling: Avoid excessive dust formation and breathing dust. Persons handling the product should wear recommended personal protective equipment (PPE) as noted in Section 8. Wash thoroughly with potable water and mild soap after handling. Use outdoors or provide ventilation.

7.2 Conditions for safe storage, including any incompatibilities: Store at ambient temperatures. Clean up by shovel, wet sweeping and/or vacuuming.

7.3 Specific end uses: See Section 1. for intended uses.



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters: Note the limits shown below are for guidance only. Follow applicable regulations in your jurisdiction.

Substance Name	Source	Exposure Limit
Total Dust (or Particulates Not Otherwise Classified)	ACGIH	10 mg/m ³ (I) / 3 mg/m ³ (R)
	OSHA	15 mg/m ³ (T) / 5 mg/m ³ (R)
	NIOSH	10 mg/m ³ (T) / 5 mg/m ³ (R)

8.1.1 Currently recommended monitoring procedures: No recommendations.

8.1.2 Exposure guidelines for air contaminants, if any: See Section 8.1

8.1.3 DNELS and PNECS for exposure scenarios: Information not available at this time.

8.1.4 Control banding for risk management: Use good industrial hygiene practice, wear appropriate PPE and use only in well ventilated places.

8.2 Exposure Controls:

8.2.1 Appropriate engineering controls: If used in an enclosed area, provide adequate local exhaust ventilation when possible to remove and prevent buildup of any dusts generated from the handling of this product. Water suppression may also be used to limit airborne dusts from dried product during application or use.

8.2.2 Individual protection methods: Use good industrial hygiene practices in handling this material. Eye wash stations should be available. Wash exposed skin with potable water and mild soap after use. If any irritation or redness is noted, treat symptomatically or consult a doctor immediately. Wear gloves, safety glasses/goggles and protective clothing. In case of eye contact, flush with plenty of clean, potable water for at least 15 minutes. Remove contacts if easy to do so. Seek medical attention if irritation occurs. Avoid dust inhalation and direct contact with skin and eyes. Wash contaminated skin before eating, drinking or smoking.

8.2.3 Personal Protective Equipment:

Eye/Face: Use appropriate eye protection: glasses with side shields or goggles.

Skin: Avoid contact by covering skin with protective clothing. Wear gloves when handling the product. Wear eye protection. Wash exposed skin thoroughly with potable water and mild soap.

Respiratory: If airborne concentrations are above the applicable exposure limits, use NIOSH-approved respirator if qualified.



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 9: Physical and Chemical Properties

Physical State:	Combined blend of material
Color:	Varying brown/black shades
Odor:	Earthy
Odor Threshold:	Not applicable
Melting Point:	Not applicable
Freezing Point:	Not applicable
Initial Boiling Point:	Not applicable
Flammability (solid, gas):	Not applicable
Lower and Upper Explosion Limits/Flammability Limit:	Not applicable
Flash Point:	Non-flammable
Auto-Ignition Temperature:	Not applicable
Decomposition Temperature:	Not evaluated
pH:	5 - 7
Kinematic Viscosity:	Not applicable
Solubility:	Non-soluble
Partition Coefficient:	Not applicable
Vapor Pressure	Not applicable
Density (and/or Relative Density):	Not evaluated
Relative Vapor Density:	Not applicable
Particle Characteristics:	Variable sizes

Section 10: Stability and Reactivity

10.1 Reactivity: None known.

10.2 Chemical stability: Stable under normal conditions of storage and use.

10.3 Possibility of hazardous reactions: Avoid contact with powerful oxidizing agents.

10.4 Conditions to avoid: Avoid dust concentrations above permissible exposure limits.

10.5 Incompatible materials: Incompatible materials and possible hazardous reactions are detailed in Section 10.3.

10.6 Hazardous decomposition or byproducts: Highly improbable. Hazardous polymerization will not occur.

Section 11: Toxicological Information

11.1 Information on toxicological effects:

Acute Exposure and Symptoms:

Inhalation: May cause irritation of the respiratory system.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation, abrasions, redness, and permanent eye damage.

Ingestion: Ingestion of large amounts may cause gastrointestinal irritation, choking/blockage.

Chronic Exposure:

Prolonged exposure to dust may cause irritation to the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia.

Numerical Measures of Toxicity

There no numerical measures of toxicity available for the product at this time.



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 11: Toxicological Information

Component Carcinogenicity

This product is not a known or suspected carcinogen.

Specific Target Organ Toxicity Single/Repeat Exposure – Respiratory System

Repeated inhalation of dusts can lead to irritation of the respiratory tract, inflame or sensitize the nose, throat and lungs resulting in illnesses such as asthma or pneumonia. Exposure to dust may occur with agitation of the product if the product is dry.

Skin Sensitizer

Not expected to be a skin sensitizer.

Section 12: Ecological Information (non-mandatory)

12.1 Ecotoxicity:

General Product Information: Product when used as intended is not hazardous to the environment.

Component Analysis - Ecotoxicity : Ecotoxicity data are not available for this product's.

Environmental Fate: No information available for the product.

Section 13: Disposal Considerations (non-mandatory)

13.1 Waste treatment methods:

General Product Information: Whatever cannot be saved or recovered for recycling should be disposed of according to state and local regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: Transport Information (non-mandatory)

Product is not classified as Dangerous Goods.

Section 15: Regulatory Information (non-mandatory)

15.1 Safety, health, and environmental regulation:

US Federal Regulations

General Product Information: No component is listed on the U.S. EPA TSCA Inventory List.

Component Analysis: Components of this product are not listed as hazardous under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

General Product Information: Other state regulations may apply. Check individual state requirements.

California Prop. 65 Components: This product contains no chemicals known to the State of California to cause cancer or reproductive toxicity.



Safety Data Sheet (SDS)

Prepared to comply with GHS (Globally Harmonized System) and OSHA-Hazard Communication Standard 29 CFR.1910.1200, System of Classifying and Labeling of Chemicals

Material Name: Peat

Section 15: Regulatory Information (non-mandatory)

Section 16: Other Information

Other Information

Disclaimer: Supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Safety Data Sheet before handling product.

Key to Abbreviations and Acronyms:

ACGIH:	American Conference of Governmental Industrial Hygienists
DNEL:	Derived No Effect Level
EINECS:	European Inventory of Existing Commercial Chemical Substances
EPA:	Environmental Protection Agency
EU:	European Union
GHS	Globally Harmonized System of classification and labelling of chemicals
IARC:	International Agency for Research on Cancer
I:	Inhalable Particles
LC50:	Lethal concentration in air fatal to 50 percent of test animals
LD50:	Lethal dose by mouth or other route to 50 percent of test animals
LDLo:	Lowest lethal dose
NIOSH:	National Institute for Occupational Safety and Health
NJTSTR:	New Jersey Trade Secret Registry
NOEC:	No Observed Effect Concentration
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration (USA)
PNEC:	Predicted No Effect Concentration
PNOC:	Particulates Not Otherwise Classified
PPM:	Parts Per Million
R:	Respirable Particles
STEL:	Short Term Exposure Limit
T:	Total Dust
TLV:	Threshold Limit Value
TSCA:	Toxic Substance Control Act
TWA:	Time weighted average

**** This is the end of SDS – Peat ****

MATERIAL SAFETY DATA SHEET

04/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
10511 Valley Boulevard
El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : BAZIC MODELING DOUGHS

2. COMPOSITION ON INGREDIENTS

INGREDIENT NAME	CAS#
Starch Soluble	9005-84-9
Water	7732-18-5
Sodium Chloride	7647-14-5
Glycerol	56-81-5
Pigment Colors	

3. HAZARD IDENTIFICATION

This product, when used under reasonable conditions and accordance with the normal use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's direction for use may affect the performance of the product and may present potential health and safety hazards.

POTENTIAL HEALTH EFFECTS

Eye Contact : is not expected to occur during normal use of the product.
Skin Contact : is not expected to result in significant irritation during product use.
Inhalation : is not expected to occur during normal use of the product.
Ingestion : no health effects are expected.

4. FIRST AID MEASURES

Skin contact : No effect of exposures expected.
Eye contact : No effect of exposure expected.
Inhalation : No effect of exposure expected.
Ingestion : If the product is swallowed, please contact physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flammable : N/A
Flash point : 350° C

EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam)

PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures : water may be used to blanket the fire
Unusual Fire and Explosion Hazards : no unusual fire or explosion hazards are anticipated.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures : Not Applicable

7. HANDLING AND STORAGE

HANDLING

Use methods to minimize dust.

STORAGE

Store and handle in accordance with all current regulations and standards. See original containers for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Not Applicable

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection : Not Applicable.
Skin Protection : Not applicable. Gloves not normally required. Avoid prolonged or repeated skin contact.
Respiratory Protection : Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.
Prevention of Swallowing : Not an expected route of exposure.

EXPOSURE GUIDELINES

None Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid	Flash Point	: N/A
Physical State	: Solid	Flammability	: N/A
Physical Form	: Solid	Vapor Pressure	: N/A
Color	: Assorted colors	Vapor Density (air=1)	: N/A
Odor	: Odorless	Evaporation Rate	: N/A
Odor Threshold	: N/A	Specific Gravity	: N/A
pH	: N/A	Density	: N/A
Melting Point	: N/A	Water Solubility	: N/A
Freezing Point	: N/A	Coeff. Water/Oli Dist	: N/A
Boiling Point	: N/A	Volatility	: N/A
Viscosity	: N/A		

10. STABILITY AND REACTIVITY

Chemical Stability : Stable at normal temperatures and pressure.
Conditions to Avoid : None reported.
Materials to Avoid : Oxidizing materials.
Decomposition Products : Oxides of carbon.
Possibility of Hazardous Reactions : Will not polymerize.

11. TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not determined

CHEMICAL FATE INFORMATION

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method : Dispose in accordance with all applicable regulations

Since regulations vary, consult applicable regulations or authorities before disposal.

14. TRANSPORT INFORMATION

No special requirement

15. REGULATORY INFORMATION

Not available

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products **MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the Bazic product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.



Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00807390 S1

APPLICANT: TOYSMITH
5110 FRONTAGE ROAD AUBURN,
WA98001
ATTN: BURKE WILLIAMS

DATE: Jan 14, 2009

*THIS IS TO SUPERSEDE REPORT NO.
HKGH00807390 DATED Jan 02, 2009*

SAMPLE DESCRIPTION:

ONE (1) SUBMITTED SAMPLE SAID TO BE **FIZZY TINTS**.
COLOR : #10 RED.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
GENERAL MANAGER





Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

TEST REPORT

NUMBER: HKGH00807390 S1

TESTS CONDUCTED

1 TOTAL LEAD (Pb) CONTENT

WITH REFERENCE TO US EPA METHOD 6010/6020, BY DRY ASHING AND ACID DIGESTION,
FOLLOWED BY INDUCTIVELY COUPLED PLASMA MASS SPECTROMETRY DETERMINATION.

RESULT : 0.082 ppm

LIMIT : 7.5 ppm

REMARK : ppm = PARTS PER MILLION OR MILLIGRAMS PER KILOGRAM

THE ABOVE LIMIT WAS QUOTED FROM THE CONSENT JUDGEMENT NO. BC-352903
FOR COSMETIC PRODUCT BASED ON THE CALIFORNIA PROPOSITION 65.

DATE SAMPLE RECEIVED : DEC 18, 2008

TESTING PERIOD : DEC 22, 2008 TO DEC 24, 2008

END OF REPORT





Hong Kong Government Recognized Service Supplier
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited
Hong Kong Toys Council

To: FACE ART INDUSTRIAL LIMITED Ref: FC-090-0311
Attention: W.S. LAM. Date: Jan 14, 2009

Re : Report Revision Notification

Intertek Testing Services Report Number HKGH00807390 Dated
Jan 02, 2009

Please be informed that all the content recorded in the above captioned
report will be void. This captioned report is now supersede by a revised
Intertek Testing Services Report, HKGH00807390 S1

Thank you for your attention.

FOR AND ON BEHALF OF :
INTERTEK TESTING SERVICES HK LTD.

KAREN S.C. NG
GENERAL MANAGER

MSDS - Sodium Bicarbonate Baking Soda Tablets

Section 1. Product Identification

Synonyms: Sodium hydrogen carbonate; sodium acid carbonate; baking soda; bicarbonate of soda

Section 2. Product Identification

Sodium Bicarbonate Tablets

CAS Number: 144-55-8

Not hazardous under OSHA Standard CFR 1910.1200

Not a WHMIS controlled substance

Section 3. Hazards Identification

Tablets, can have residual dust

No odor

Not a fire hazard

No significant health or environmental effects associated with this material

WHMIS Rating: Health: 0 Fire: 0 Reactivity: 0

Potential Health Effects

Eye: Not an eye irritant

Skin Contact: Not a skin irritant

Ingestion: Material is practically non-toxic. Small amounts (1-2 tablespoons) swallowed during normal handling operations are not likely to cause injury as long as the stomach is not overly full; swallowing larger amounts may cause injury (see Note in Section 8).

Inhalation: Not known

Sub-chronic Effects/Carcinogenicity: Based on published studies on its effects in animals and humans, sodium bicarbonate is not teratogenic. Only known sub-chronic effect is that of a marked systemic alkalosis. The material is not listed as a carcinogen or potential carcinogen by IARC, OSHA, ACGIH, NTP or NIOSH.

Section 4. First Aid Measures

Eyes: Check for and remove contacts. Flood eyes with clean flowing water, low pressure and lukewarm (not hot) if possible, occasionally lifting eyelids.

Ingestion: If large amounts of this material are swallowed, do not induce vomiting. Administer water if person is conscious. Never give anything by mouth to an unconscious person.

Note to Physician: Large doses may produce systemic alkalosis and expansion in extra cellular fluid volume with oedema.

Section 5. Fire Fighting Measures

Flammable Properties

Flashpoint: Not combustible

Method Used: Not applicable

Flammable Limits

LFL: Not applicable

UFL: Not applicable

Extinguishing Media: Non-combustible material. Use extinguishing media appropriate for surrounding fire.

Fire Fighting Instructions: Carbon Dioxide may be generated making necessary the use of a self contained breathing apparatus (SCBA) and full protective equipment (Bunker Gear). Carbon dioxide is an asphyxiant at levels over 5% w/w. Sodium oxide, another thermal decomposition product existing at temperatures above 156F is a respiratory, eye and skin irritant. Avoid inhalation, eye and skin contact with sodium oxide dusts.

Unusual Fire and Explosion Hazards: Not known

Section 6. Accidental Release Measures

Scoop up into dry, clean containers. Wash away uncontaminated residue with water.

Section 7. Handling and Storage

Store in cool, dry areas and away from incompatible substances (see section 10).

Sodium Bicarbonate reacts with acids to yield carbon dioxide gas which can accumulate in confined spaces. Do not enter confined spaces until they have been well ventilated and carbon dioxide and oxygen levels have been determined to be safe.

Section 8. Exposure Controls/Personal Protection

Respiratory Protection: Dust mask required if total dust level exceeds 10 mg/m³

Protective Gloves: General purpose for handling dry product. Impervious gloves when working with solutions.

Eye Protection: Safety glasses when handling bulk material or when dusts are generated

Other Protective Clothing or Equipment: Full cover clothing. Apron where splashing may occur when working with solutions.

Section 9. Physical and Chemical Properties

Appearance: Tablets

Odor: None

Physical State: Solid

pH as is: Not applicable

pH (1% Soln. w/v): 8.2

Vapor Pressure: Not applicable

Vapor Density: Not applicable

Boiling Point: Not applicable

Freezing/Melting Point: Not applicable

Solubility in Water: 8.6 g/100 ml @ 68F

Specific Gravity (Water = 1): 2.2

Apparent Density: (g/cc): Approximately 1

% Volatile: Not applicable

Volatile Organic Compounds: Not applicable

Molecular Weight: 84.02

Section 10. Stability and Reactivity

Chemical Stability: Stable

Conditions to Avoid: Temperatures above 65C (150F)

Incompatibility with Other Materials: Reacts with acids to yield carbon dioxide. Also may yield free caustic in presence of lime dust. (CaO) and moisture (i.e. water, perspiration).

Hazardous Decomposition Products: Heating above 100C may cause dangerous levels of carbon dioxide gas to be present in confined spaces. Avoid inhalation, eye and skin contact with sodium oxide.

Hazardous Polymerization: Not applicable

Section 11. Toxicological Information

Eye Effects: The material was minimally irritating to unwashed eyes and practically non irritating to washed eyes (rabbit).

Skin Effects: Not a skin irritant or dermally toxic. Not a contact sensitizer

Acute Oral Effects: Acute Oral- rat LD = 7.3 g/kg

Acute Inhalation: Lc50 (rat) > 4.74 mg/1

Section 12. Ecological Information

Aquatic Toxicity: Daphids - EC50 = 4100 mg/1 Bluegill - LC50 = 7100 mg/1 Rainbow Trout - LC50 = mg/1

Persistence: This product is not expected to persist in the environment

Bio Accumulation: This product is not expected to bio-accumulate

Section 13. Disposal Considerations

Bury in a secured landfill in accordance with all local, state and federal environmental regulations.

Empty containers may be incinerated or discarded as general trash.

Section 14 Transportation Information

D.O.T. Shipping Name: Not regulated

Technical Shipping Name: Sodium Bicarbonate

D.O.T. Hazard Class: None

Section 15. Regulatory Information

Clean Air Act Section 611: Material neither contains nor is it manufactured with ozone depleting substances (ODS).

Federal Water Pollution Control Act (40 CDR 401,15): Material contains no intentionally added or detectable (contaminant) levels of EPA priority toxic pollutants.

Food and Drug Administration: Generally Recognized As Safe (GRAS) direct food additive (21 CFR 184.1736)

OSHA: Not hazardous under 29 CFR 1910.1200

RCRA: Not a hazardous material or a hazardous waste by listing or characteristic

Disclaimer

This information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We make no warranty of any kind, expressed or implied, concerning the safe use of this material in your process or combination with any other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.